

RESULT 19  
 ADE71415  
 ID ADE71415 standard; protein; 810 AA.  
 XX AC ADE71415;  
 XX DT 28-JAN-2004 (first entry)  
 XX DE Bacillus sp. KSM-N131 alkaline cellulase Egl-N131b.  
 XX KW Alkaline cellulase; Egl-N131b; detergent; laundry; enzyme.  
 XX OS Bacillus sp. KSM-N131.  
 XX PN WO2003031422-A1.  
 XX PD 06-NOV-2003.  
 XX PF 25-APR-2003; 2003WO-JP005371.  
 XX PR 25-APR-2002; 2002JP-00124474.  
 XX PA (KAOS ) KAO CORP.  
 XX PI Hakamada Y, Orawa T, Kobayashi T;  
 XX DR WPI; 2003-854337/79.  
 XX PT Mutated alkaline cellulase for use as an enzyme for detergents is  
 PT produced by deleting one or more amino acid residue groups from the 343-  
 PT to 373-positions in SEQ ID No:1 and then inserting a peptide into the  
 PT deletion site.  
 XX PS Disclosure; Fig 1; 31pp; Japanese.  
 XX CC The invention relates to a mutant alkaline cellulase derived from the  
 CC Bacillus sp. KSM-8237 alkaline cellulase Egl-N131b. The mutant  
 CC enzyme is created by deleting one or more amino acid residues between  
 CC residues 343-373 of the wild-type enzyme, and then inserting a 2-15  
 CC residue peptide into the deletion site. The invention also encompasses a  
 CC gene encoding a mutant alkaline cellulase of the invention, and vectors  
 CC and host cells comprising a mutant alkaline cellulase-encoding gene. The  
 CC mutant alkaline cellulases of the invention have an optimum pH which is  
 CC very close to the pH of laundry water (around pH 10.5) and are therefore  
 CC useful as enzymes for detergents. Sequences ADE71413-ADE71415 represent  
 CC alkaline cellulases from other Bacillus species.  
 XX SQ Sequence 810 AA;  
 Query Match 95.0%; Score 414; DB 7; Length 810;  
 Best Local Similarity 95.1%; Pred. No. 3.5e-274;  
 Matches 784; Conservative 10; Mismatches 16; Indels 14; Gaps 2;  
 QY 1 MMLRKTGKLLISILLVLLLSLFPALAAEGNTREDNFKHLGNDNVKPSAGALQLQ 60  
 DB 1 MMLRKTGKQLGR-----PA--QAGNTRFNFKHLGNDNVKPSAGALQLQ 46  
 QY 61 EVDGQMTLDVQHGEKQLRGKSTHGLQWFPFILLNDNAYTALSNDWDSNMIRLAMYGENG 120  
 DB 47 EVDGQMTLDVQHGEKQLRGKSTHGLQWFPFILLNDNAYTALSNDWDSNMIRLAMYGENG 106  
 QY 121 YATNPBLIKQVVDIGIELAIENDMYIVDWHVAPGDPDPVYAGKDPFREIAALYPNN 180  
 DB 107 HATNPBLIKQVVDIGIELAIENDMYIVDWHVAPGDPDPVYAGKDPFREIAALYPNN 166  
 QY 181 PHIIYELANPPSSNNNGGAGIPNNEGKAKVYADPIVEMLRKSGNADNIIIVGSPNW 240  
 DB 167 PHIIYELANPPSSNNNGGAGIPNNEGKAKVYADPIVQMLRSGNADNIIIVGSPNW 226  
 QY 241 SQRPDLAANDPIDDDHTMTVHTPYTGSAASTESYSPETNSRGNVMSNTRIALENGVA 300  
 DB 227 SQRPDLAANDPIDDDHTMTVHTPYTGSAASTESYSPETNSRGNVMSNTRIALENGVA 286

QY 301 VFATWGTQASGCGPYFDEADVWIEFLNENNI SWANWSLTWKNVSGAFTPELGSKN 360  
 DB 287 VFATWGTQASGCGPYFDEADVWIEFLNENNI SWANWSLTWKNVSGAFTPELGSKN 346  
 QY 361 ATNLDPDPHWAPELSLSGEYVRARIKGVNYPEIDRTKYTKVLWDNDGTQKQPGVNS 420  
 DB 347 ATSLDPDPQVWPPELSLSGEYVRARIKGVNYPEIDRTKYTKVLWDNDGTQKQPGVNS 406  
 QY 421 EGPNKELIAVDNENNTLVKVSGLDVSDNGFWANARLSANGWKSVDILGAEKLTMDV 480  
 DB 407 DSEPKEKELIAVDNENNTLVKVSGLDVSDNGFWANARLSANGWKSVDILGAEKLTMDV 466  
 QY 481 IVDEPTVAIAAIPOSSKSGWANPERAVRVAEDFVQOTDGYKAGLTITGEDAPNLKNI 540  
 DB 467 IVDEPTVAIAAIPOSSKSGWANPERAVRVAEDFVQOTDGYKAGLTITGEDAPNLKNI 526  
 QY 541 APHEEDNNMNNILFVGTDAADVILDNIKVLTGEVEIPVHDPKGEAVLPSVFDGTQ 600  
 DB 527 AMEAENYTNINILKVGTEGADVILDTIKVLTGEVEIPVHDPKGEAVLPSVFDGTQ 586  
 QY 601 GMDWAGESGVKTALTIERANGSNALSWEFGYPEVKPSDNWATAPRLDFWKSDLVRGENDY 660  
 DB 587 GMDWAGESGVKTALTIERANGSNALSWEFGYPEVKPSDNWATAPRLDFWKSDLVRGENDY 646  
 QY 661 VAFDFYLDVPRATEGAMNINLVFPPTNGYVWQAPKTYTINFELEERANQVNGLYHYEVK 720  
 DB 647 VTFDFYLDVPRATEGAMNINLVFPPTNGYVWQAPKTYTINFELEERANQVNGLYHYEVK 706  
 QY 721 INVRDITNIQDDTLLNNMIIIPADVESDPAGRVFQNVNVRPEGAATTEPEPEPVDGEEET 780  
 DB 707 INVRDITNIQDDTLLNNMIIIPADVESDPAGRVFQNVNVRPEGAATTEPEPEPVDGEEET 766  
 QY 781 PFDVEKKAQKQKAEKKEKAEKKEKAEKKEKAEKKEKAEKKEKAEKKEKAEKKEK 824  
 DB 767 PFDVEKKAQKQKAEKKEKAEKKEKAEKKEKAEKKEKAEKKEKAEKKEKAEKKEK 810  
 RESULT 20  
 AAG80267  
 ID AAG80267 standard; protein; 813 AA.  
 XX AC AAG80267;  
 XX DT 08-FEB-2002 (first entry)  
 XX DE Bacillus sp alkaline cellulase N131b.  
 XX KW Alkaline cellulase; N131b; textile; detergent; treating agent.  
 XX OS Bacillus sp.  
 XX FH Key Location/Qualifiers  
 XX FT Misc-difference 12 /note= "Encoded by TGA"  
 XX PN JP2001231569-A.  
 XX PD 28-AUG-2001.  
 XX PF 24-FEB-2000; 2000JP-00047237.  
 XX PR 24-FEB-2000; 2000JP-00047237.  
 XX PA (KAOS ) KAO CORP.  
 XX DR WPI; 2002-029359/04.  
 XX DR N-PSDB; AA169288.  
 XX PT Alkaline cellulase gene useful for the preparation of an alkaline  
 XX cellulase useful as a textile detergent and a textile treating agent.  
 XX PS Example 6; Page 9-11; 22pp; Japanese.

XX This invention describes a novel alkaline cellulase gene from a Bacillus  
CC sp. The alkaline cellulase gene is used for the preparation of an  
CC alkaline cellulase useful as a textile detergent and a textile treating  
CC agent. This sequence represents the Bacillus sp. alkaline cellulase N131b  
CC described in the method of the invention  
XX  
SQ Sequence 813 AA;  
  
Query Match 94.6%; Score 4123; DB 5; Length 813;  
Best Local Similarity 97.1%; Pred. No. 6e-273;  
Matches 774; Conservative 10; Mismatches 13; Indels 0; Gaps 0;  
  
QY 28 LAAGNTREDFKLLGNDVNRSEAGALQVGVGOMTLVDQGEKIQLRGMSTHGLQ 87  
DB 17 LAAGNTREDFKLLGNDVNRSEAGALQVGVGOMTLVDQGEKIQLRGMSTHGLQ 76  
  
QY 88 WPEILNDNAYKALSNDWDSNMIRLAMYGVGATNPETIKQVVIDGIELAIENDMYVI 147  
DB 77 WPEILNDNAYKALSNDWDSNMIRLAMYGVGATNPETIKQVVIDGIELAIENDMYVI 136  
  
QY 148 VDWVHAPGPRDPVYAGAKDFREIAALYPNNPHIYELANEPSSNNNGGAGIPNNNEG 207  
DB 137 VDWVHAPGPRDPVYAGAKDFREIAALYPNNPHIYELANEPSSNNNGGAGIPNNNEG 196  
  
QY 208 WKAVEYADPIVEMLRKSGNADNIIIVGSPNSQRPDLAADNPIDDHHTMYTHFYTGS 267  
DB 197 WKAVEYADPIVEMLRKSGNADNIIIVGSPNSQRPDLAADNPIDDHHTMYTHFYTGS 256  
  
QY 268 HAATESYPTSPNSRGNVMSNTRYALENGVAVFATENGTSOASGGPGPVFDEADVWIE 327  
DB 257 HAATESYPTSPNSRGNVMSNTRYALENGVAVFATENGTSOASGGPGPVFDEADVWIE 316  
  
QY 328 FLNENNISWANSLTNKNEVSGAPTPELKGKSNATNLDPGDHWMAPEELSLSGEYVRAR 387  
DB 317 FLNENNISWANSLTNKNEVSGAPTPELKGKSNATNLDPGDHWMAPEELSLSGEYVRAR 376  
  
QY 388 IKGVTNEPIDRTKYTKVLMDFNDGTGKGVNSDSPNKELIADNENNTLKVSLDVSND 447  
DB 377 IKGVTNEPIDRTKYTKVLMDFNDGTGKGVNSDSPNKELIADNENNTLKVSLDVSND 436  
  
QY 448 VSDGNFWANRLSANGWKSVDILGAEKLTMDVIVDEPTTVAIAAIPOSSKSGWANPERA 507  
DB 437 VSDGNFWANRLSANGWKSVDILGAEKLTMDVIVDEPTTVAIAAIPOSSKSGWANPERA 496  
  
QY 508 VRVNAEDFVQOTDGKYKAGLTIGEDAPNLKNIAPHEEDNNMNIILFVGTDAADVLYLD 567  
DB 497 VRVNAEDFVQOTDGKYKAGLTIGEDAPNLKNIAPHEEDNNMNIILFVGTDAADVLYLD 556  
  
QY 568 NIKVIGTEVEIPVVDHPKGEAVLPSVPEDEGTGQGWDAWESGVKLTALTEANGSNALS 627  
DB 557 NIKVIGTEVEIPVVDHPKGEAVLPSVPEDEGTGQGWDAWESGVKLTALTEANGSNALS 616  
  
QY 628 EFGYPEVKPSDNNATAPRLDPFKSGLVGRGNDVYVDPFYLDPVTRATGANNINLVFPPT 687  
DB 617 EFGYPEVKPSDNNATAPRLDPFKSGLVGRGNDVYVDPFYLDPVTRATGANNINLVFPPT 676  
  
QY 688 NGYVQAPKTYTINFDLEBANQVGLYHYEVKINVRDITNIQDITLLRNMMIIFADVES 747  
DB 677 NGYVQAPKTYTINFDLEBANQVGLYHYEVKINVRDITNIQDITLLRNMMIIFADVES 736  
  
QY 748 DFAGRVFVNVNREGAATTFEVPPEPVDPOBETPPVDEKAKKEQKAEKKEAVKEEK 807  
DB 737 DFAGRVFVNVNREGAATTFEVPPEPVDPOBETPPVDEKAKKEQKAEKKEAVKEEK 796  
  
QY 808 KBAKEKKAKEAVKEEK 824  
DB 797 KBAKEKKAKEAVKEEK 813

RESULT 21  
ABG76403  
ID ABG76403 standard; protein; 773 AA.

XX ABG76403;  
XX  
XX 23-OCT-2003 (revised)  
DT 07-MAY-2003 (first entry)  
XX  
XX Bacillus sp. endo-beta-1,4-glucanase.  
XX  
XX Enzyme; endo-beta-1,4-glucanase; detergent; textile finishing process;  
KW oil industry; biomass degradation; laundry; stone washing; EC 3.2.1.4;  
KW pulp processing; animal feed.  
XX  
XX Bacillus sp. AA349 strain DSM 12648.  
XX  
XX Key Location/Qualifiers  
FH Misc-difference 62 /note= "Encoded by GAR"  
FT Binding-site 340..540 /label= Cellulase binding site  
FT /note= "This site is claimed in claim 24"  
XX  
XX WO200299091-A2.  
XX  
XX 12-DEC-2002.  
XX  
XX 06-JUN-2002; 2002WO-DK000381.  
XX  
XX 06-JUN-2001; 2001DK-00000879.  
XX  
XX (NOVO ) NOVOZYMES AS.  
XX  
XX Outtrup H, Schuelein M, Eskelund ME, Gibson K;  
PI  
XX WPI; 2003-256232/25.  
XX  
XX N-PSDB; ABX11841.  
XX  
XX New enzyme exhibiting endo-beta-1,4-glucanase activity, useful in  
PT detergent compositions, oil industry textile finishing processes, biomass  
PT degradation, laundry, and stone washing.  
XX  
XX Claim 1; Page 45-48; 51pp; English.  
XX  
XX The invention relates to an enzyme exhibiting endo-beta-1,4-glucanase  
CC activity (EC 3.2.1.4), comprising: (a) a polypeptide encoded by the DNA  
CC sequence appearing as ABX11841; (b) a polypeptide produced by culturing a  
CC cell comprising the DNA sequence under conditions where the DNA sequence  
CC is expressed; (c) an endo-beta-1,4-glucanase enzyme having at least 97%  
CC sequence identity to the amino acid sequence appearing as ABG76403; or  
CC (d) a polypeptide having endo-beta-1,4-glucanase activity that is encoded  
CC by a polynucleotide that hybridizes to the DNA under hybridization  
CC conditions comprising 5X SSC at 45 plusOC and washing conditions  
CC comprising 2X SSC at 60 plusOC. Also included are the encoding DNA  
CC sequence, a polynucleotide construct comprising any of the DNA sequence,  
CC an expression vector (comprising the following operably linked elements:  
CC a transcription promoter, a DNA segment encoding the enzyme and a  
CC transcription terminator), a cultured cell comprising the vector and  
CC expressing the enzyme, a method for degradation of cellulose-containing  
CC biomass that is treated with the enzyme or enzyme composition cited above  
CC and a hybrid endo-glucanase (exhibiting endo-beta-1,4-glucanase activity  
CC comprising the cellulase binding domain, CBD, of the enzyme and a  
CC catalytic domain (CAD) from sources other than Bacillus sp. AA349 strain  
CC DSM12648). The enzymes are useful in detergent composition, textile  
CC finishing processes, oil industry, biomass degradation, laundry and stone  
CC washing. The invention provides enzymes having substantial beta-1,4-  
CC glucanase activity under slightly acid to alkaline conditions and  
CC improved performance in pulp processing, textile treatment, laundry  
CC processes, extraction processes or in animal feed. the present sequence  
CC represents the endo-beta-1,4-glucanase. (Updated on 23-OCT-2003 to  
CC standardise OS field)  
XX  
SQ Sequence 773 AA;  
  
Query Match 93.1%; Score 4059; DB 6; Length 773;



# MACHINE-ASSISTED TRANSLATION (MAT):

(19) 【発行国】 日本国特許庁 ( J P )	(19)[ISSUING COUNTRY] Japan Patent Office (JP)
(12) 【公報種別】 公開特許公報 ( A )	(12)[GAZETTE CATEGORY] Laid-open Kokai Patent (A)
(11) 【公開番号】 特 開 2001-231569(P2001-231569A)	(11)[KOKAI NUMBER] Unexamined Japanese Patent 2001-231569(P2001-231569A)
(43) 【公開日】 平成 1 3 年 8 月 2 8 日 ( 2 0 0 1 . 8 . 2 8 )	(43)[DATE OF FIRST PUBLICATION] August 28, Heisei 13 (2001. 8.28)
(54) 【発明の名称】 アルカリセルラーゼ遺伝子	(54)[TITLE OF THE INVENTION] Alkali cellulase gene
(51) 【国際特許分類第 7 版】 C12N 15/09 ZNA 1/00 1/15  1/19 1/21 5/10 9/42	(51)[IPC 7] C12N 15/09 ZNA 1/00 1/15  1/19 1/21 5/10 9/42
【 F I 】 C12N 1/00 T 1/15 1/19	【FI】 C12N 1/00 T 1/15 1/19



1/21  
9/42  
15/00 ZNA A  
5/00 A

1/21  
9/42  
15/00 ZNA A  
5/00 A

【審査請求】 未請求

[REQUEST FOR EXAMINATION] No

【請求項の数】 6

[NUMBER OF CLAIMS] 6

【出願形態】 O L

[FORM OF APPLICATION] Electronic

【全頁数】 2 2

[NUMBER OF PAGES] 22

(21) 【出願番号】

(21)[APPLICATION NUMBER]

特 願  
2000-47237(P2000-47237)

Japanese Patent Application  
2000-47237(P2000-47237)

(22) 【出願日】

(22)[DATE OF FILING]

平成 1 2 年 2 月 2 4 日 ( 2 0 0  
0 . 2 . 2 4 )

February 24, Heisei 12 (2000. 2.24)

(71) 【出願人】

(71)[PATENTEE/ASSIGNEE]

【識別番号】

[ID CODE]

000000918

000000918

【氏名又は名称】 花王株式会  
社

[NAME OR APPELLATION] Kao Corp.

【住所又は居所】

[ADDRESS OR DOMICILE]


東京都中央区日本橋茅場町 1 丁  
目 1 4 番 1 0 号

(72) 【発明者】

(72)[INVENTOR]

【氏名】

[NAME OR APPELLATION]



袴田 佳宏

Hakamata, Yoshihiro

## 【住所又は居所】

## [ADDRESS OR DOMICILE]

栃木県芳賀郡市貝町赤羽 2 6 0  
6 花王株式会社研究所内

## (72) 【発明者】

## (72)[INVENTOR]

## 【氏名】

## [NAME OR APPELLATION]

遠藤 圭二

Endo, Keiji

## 【住所又は居所】

## [ADDRESS OR DOMICILE]

栃木県芳賀郡市貝町赤羽 2 6 0  
6 花王株式会社研究所内

## (72) 【発明者】

## (72)[INVENTOR]

## 【氏名】

## [NAME OR APPELLATION]

瀧澤 修一

Takizawa, Shuichi

## 【住所又は居所】

## [ADDRESS OR DOMICILE]

栃木県芳賀郡市貝町赤羽 2 6 0  
6 花王株式会社研究所内

## (72) 【発明者】

## (72)[INVENTOR]

## 【氏名】

## [NAME OR APPELLATION]

久保田 浩美

Kubota, Hiromi

## 【住所又は居所】

## [ADDRESS OR DOMICILE]


栃木県芳賀郡市貝町赤羽 2 6 0  
6 花王株式会社研究所内

## (72) 【発明者】

## (72)[INVENTOR]

## 【氏名】

## [NAME OR APPELLATION]



小林 徹

Kobayashi, Toru

## 【住所又は居所】

## [ADDRESS OR DOMICILE]

栃木県芳賀郡市貝町赤羽 2 6 0  
6 花王株式会社研究所内

## (72) 【発明者】

## (72)[INVENTOR]

## 【氏名】

## [NAME OR APPELLATION]

川合 修次

Kawai, Shuji

## 【住所又は居所】

## [ADDRESS OR DOMICILE]

栃木県芳賀郡市貝町赤羽 2 6 0  
6 花王株式会社研究所内

## (74) 【代理人】

## (74)[AGENT]

## 【識別番号】

## [ID CODE]

100068700

100068700

## 【弁理士】

## [PATENT ATTORNEY]

## 【氏名又は名称】

## [NAME OR APPELLATION]

有賀 三幸 (外 4 名)

Aruga, Mitsuyuki (and 4 others)

## 【テーマコード (参考)】

## [THEME CODE (REFERENCE)]

4B024

4B024

4B050

4B050

4B065

4B065

## 【F ターム (参考)】

## [F TERM (REFERENCE)]

4B024 BA11 CA04 CA09 DA07  
EA04 GA11 GA19 GA27 HA01  
HA19


4B024 BA11 CA04 CA09 DA07 EA04 GA11  
GA19 GA27 HA01 HA19  
4B050 CC03 DD02 LL04

4B050 CC03 DD02 LL04

4B065 AA15X AA15Y AB01 BA02 BA22 CA31

4B065 AA15X AA15Y AB01

CA57



BA02 BA22 CA31 CA57

**(57) 【要約】**

(修正有)

**(57)[ABSTRACT OF THE DISCLOSURE]**

(Amendments Included)

**【解決手段】**

特定の配列を有する2種類の  
アミノ酸配列のいずれか、又は  
該アミノ酸配列の1若しくは数  
個のアミノ酸が欠失、置換若し  
くは付加されたアミノ酸配列を  
コードするアルカリセルラーゼ  
遺伝子、組換えベクター及び形  
質転換体。

**[PROBLEM TO BE SOLVED]**

The alkali cellulase gene, recombinant vector,  
and transformed body which code the amino  
acid sequence of which 1 of either of two kinds  
of amino acid sequences which has a specific  
sequence, or this amino acid sequence, or  
some amino acids were deleted, substituted or  
added.

**【効果】**

この遺伝子を用いて衣料用洗  
剤、繊維処理剤等として有用な  
アルカリセルラーゼを単一且つ  
大量に生産することが可能であ  
る。

**[ADVANTAGE]**

Alkali cellulase useful as the detergent for  
garments, a fiber processing agent, etc. can be  
produced individually and in large quantities  
using this gene.

**【特許請求の範囲】****[CLAIMS]****【請求項1】**

配列番号1若しくは2に示す  
アミノ酸配列、又は該アミノ酸  
配列の1若しくは数個のアミノ  
酸が欠失、置換若しくは付加さ  
れたアミノ酸配列をコードする  
アルカリセルラーゼ遺伝子。

**[CLAIM 1]**


The alkali cellulase gene which codes the  
amino acid sequence of which the amino acid  
sequence shown in sequence number 1 or 2, 1  
of this amino acid sequence, or some amino  
acids were deleted, substituted or added.

**【請求項2】**

配列番号3若しくは4に示す  
塩基配列、又は該塩基配列の1  
若しくは数個の塩基が欠失、置

**[CLAIM 2]**

The alkali cellulase gene which has the base  
acid sequence of which the base sequence  
shown in sequence number 3 or 4, 1 of this



換若しくは付加された塩基酸配列を有するアルカリセルラーゼ遺伝子。

base sequence, or some bases were deleted, substituted or added.

**【請求項 3】**

請求項 1 又は 2 記載の遺伝子を含む組換えベクター。

**[CLAIM 3]**

The recombinant vector containing the gene of Claim 1 or 2.

**【請求項 4】**

請求項 3 記載の組換えベクターを含む形質転換体。

**[CLAIM 4]**

The transformed body containing the recombinant vector of Claim 3.

**【請求項 5】**

宿主が微生物である請求項 4 記載の形質転換体。

**[CLAIM 5]**

The transformed body of Claim 4 whose host is microorganisms.

**【請求項 6】**

請求項 4 又は 5 に記載の形質転換体を培養することを特徴とするアルカリセルラーゼの製造法。

**[CLAIM 6]**

A production of the alkali cellulase, which cultivates the transformed body of Claim 4 or 5.

**【発明の詳細な説明】**

**[DETAILED DESCRIPTION OF THE INVENTION]**

**【0001】**

**[0001]**

**【発明の属する技術分野】**

本発明は、洗剤用酵素として有用なアルカリセルラーゼをコードする遺伝子に関する。

**[TECHNICAL FIELD OF THE INVENTION]**

This invention relates to the gene which codes alkali cellulase useful as an enzyme for detergents.

**【0002】**

**[0002]**


**【従来技術】**

セルロースは植物細胞壁の主成

**[PRIOR ART]**

A cellulose is the principal component of a





分で、衣料、紙、建築材料等に有効利用されるバイオマスの代表的存在である。セルロースはグルコースが直鎖状に $\beta-1,4$ 結合した巨大分子であるため、分解によって燃料物質やより高付加価値の代謝物質に変換が可能である。そのためセルロースを分解する酵素として、セルラーゼ及びその反応産物の有効利用に関する研究が多岐に行われている。これらの研究対象となるセルラーゼは、一般に、中酸性に最適反応pHを有し、結晶性セルロースを良好に分解できる真菌類や嫌気性細菌由来の酵素が中心となっている。

### 【0003】

一方、堀越（特公昭50-28515号公報、Horikoshi & Akiba, Alkalophilic Microorganisms, Springer, Berlin, 1982）によって好アルカリ性バチルス属細菌由来のアルカリセルラーゼが見出されて以来、セルラーゼの衣料用重質洗剤への応用が可能となった。その後、実際に好アルカリ性バチルス属細菌の生産するアルカリセルラーゼ（特公昭60-23158号公報、特公平6-030578号公報、米国特許第4945053号等）が衣料用洗剤へ配合されるに至った。これ

plant-cell wall, and is a typical presence of the biomass used effectively for garments, paper, a building material, etc.

Since the glucose is the macromolecule which carried out the (beta)-1,4 connection linear, the conversion of a cellulose is possible for the fuel matter or a more nearly high-value-added metabolite with a degradation.

Therefore, as an enzyme which degrades a cellulose, research on an effective usage of cellulase and its reaction production is done variably.


Generally the cellulase used as these candidates for research has the optimal reaction pH into the in acidity, the enzyme derived from fungi or the anaerophyte which can degrade a crystalline cellulose good has taken the lead.

### [0003]

On the other hand, since the alkali cellulase derived from alkali-loving Bacillus bacteria was discovered by Horikoshi (Japanese Patent Publication No. 50-28515, Horikoshi & Akiba, Alkalophilic Microorganisms, Springer, Berlin, 1982), it has become applicable to the heavy duty detergent for garments of cellulase.

After that, the alkali cellulase (Japanese Patent Publication No. 60-23158, the Japanese Patent Publication No. 6-030578, US Patent 4945053 grade) which alkali-loving Bacillus bacteria actually produce came to be mixed with the detergent for garments.

The cellulase blending detergent derived from fungi also comes to be marketed after this, it has established the status as an enzyme for



以降、真菌類由来のセルラーゼ配合洗剤も上市されるようになり、プロテアーゼ、リパーゼ、アミラーゼと並ぶ洗剤用酵素としての地位を確立してきた。

**【0004】**

さらに近年、遺伝子工学の発展に伴い、洗剤用酵素の生産も遺伝子組換えにより大量生産されるようになっている。アルカリセルラーゼについても既に数多くの遺伝子についてクローニング、塩基配列の決定がなされ、実生産に用いられている例もある。

**【0005】****【発明が解決しようとする課題】**

本発明の目的は、洗剤用酵素として有用なアルカリセルラーゼをコードする遺伝子及びその遺伝子を用いた大量かつ単一のアルカリセルラーゼを製造する方法を確立することにある。

**【0006】****【課題を解決するための手段】**

本発明者らは、自然界からアルカリセルラーゼ生産菌のスクリーニングを行ったところ、目的に適う酵素を生産する微生物を見出し、さらに当該微生物から

detergents on a par with the protease, the lipase, and the amylase.

**[0004]**

Furthermore, production of the enzyme for detergents is also mass-produced more gene recombinant with development of genetic engineering in recent years.

As for alkali cellulase, the decision of a cloning and a base sequence about many genes has already been done, there are examples of actual production.

**[0005]****[PROBLEM TO BE SOLVED BY THE INVENTION]**

There is objective of the invention in establishing the gene which codes alkali cellulase useful as an enzyme for detergents, and the method of manufacturing the extensive and single alkali cellulase using the gene.

**[0006]****[MEANS TO SOLVE THE PROBLEM]**

When the present inventors performs a screening of an alkali cellulase producing microbe from nature, he discovers the microorganisms which produce the enzyme which suits the objective, furthermore, by



アルカリセルラーゼをコードする遺伝子をクローン化することにより、本発明を完成した。

carrying out the cloning of the gene which codes alkali cellulase from said microorganisms, it perfected this invention.

#### 【0007】

本発明は、配列番号 1 若しくは 2 に示すアミノ酸配列、又は該アミノ酸配列の 1 若しくは数個のアミノ酸が欠失、置換若しくは付加されたアミノ酸配列をコードするアルカリセルラーゼ遺伝子を提供するものである。また、本発明は、配列番号 3 若しくは 4 に示す塩基配列、又は該塩基配列の 1 若しくは数個の塩基が欠失、置換若しくは付加された塩基配列を有するアルカリセルラーゼ遺伝子を提供するものである。また、本発明は、上記のアルカリセルラーゼ遺伝子を含む組換えベクター、及び該組換えベクターを含む形質転換体を提供するものである。また、本発明は、上記の形質転換体を培養することを特徴とするアルカリセルラーゼの製造法を提供するものである。

#### [0007]

This invention provides the alkali cellulase gene which codes the amino acid sequence by which the amino acid sequence shown in sequence number 1 or 2, 1 of this amino acid sequence, or some amino acids were delete, substitute or added.

Moreover, this invention provides the alkali cellulase gene which has the base sequence by which the base sequence shown in sequence number 3 or 4, 1 of this base sequence, or some bases were delete, substitute or added.

Moreover, this invention provides the recombinant vector containing the above-mentioned alkali cellulase gene, and the transformed body containing this recombinant vector.

Moreover, this invention cultivates the above-mentioned transformed body.

It provides the production of the alkali cellulase characterized by the above-mentioned.

#### 【0008】


##### 【発明の実施の形態】

本発明の遺伝子は、配列番号 1 若しくは 2 に示すアミノ酸配列、又は該アミノ酸配列の 1 若しくは数個のアミノ酸が欠失、置換若しくは付加されたアミノ

#### [0008]

##### [EMBODIMENT OF THE INVENTION]

The gene of this invention has the sequence which codes the amino acid sequence by which the amino acid sequence shown in sequence number 1 or 2, 1 of this amino acid sequence, or some amino acids were delete, substitute or



酸配列をコードする配列を有する。アルカリセルラーゼ活性を失わない限り、該アミノ酸配列中のアミノ酸の欠失、置換又は付加（以下、変異ということがある）は特に制限されない。また、配列番号 1 又は 2 に示した成熟酵素のアミノ酸配列におけるアミノ末端には、1 ～数個のアミノ酸が付加、欠失、置換していてもよい。

#### 【0009】

本発明の配列番号 1 に示すアルカリセルラーゼ（以下、N131a セルラーゼと表記する）のアミノ酸配列と従来公知のセルラーゼのアミノ酸配列との相同性を比較すると、Bacillus sp. No.1139 株の生産するセルラーゼ（Fukumori ら、J.Gen.Microbiol., 131, 3339-3345, 1985）との相同性は 81.9% であり、Bacillus sp. KSM-64 株由来のセルラーゼ（Sumitomo ら、Biosci. Biotechnol. Biochem., 56, 872-877, 1992）との相同性は 83.6%、Bacillus sp. KSM-S237 株が生産するセルラーゼ（特願平 11-013049 号）との相同性は 86.7% であり、本発明の遺伝子からコードされる N131a セルラーゼと最も高い相同性を示したが、完全に一致するものではなかった。このことは、

added.

Unless alkali cellulase activity is lost, deletion of the amino acid in this amino acid sequence, substitution, or addition (it may call it variation hereafter) in particular is not limited.

Moreover, as for the amino terminus in the amino acid sequence of the mature enzyme shown in sequence number 1 or 2, one or more amino acids may be added, deleted or replaced.

#### [0009]


When the homology of the amino acid sequence of alkali cellulase (it shows it as N131a cellulase hereafter) and the amino acid sequence of conventionally well-known cellulase which are shown in sequence number 1 of this invention is compared, the homology with the cellulase (Fukumori et al., J.Gen.Microbiol., 131, 3339-3345, 1985) which a Bacillus sp.No. 1139 strain produces is 81.9%.

The homology with the cellulase (Japanese Patent Application No. 11-013049) in which 237 strain of Bacillus sp.KSM-S produces the homology with the cellulase (Sumitomo et al., Biosci.Biotechnol.Biochem., 56, 872-877, 1992) derived from Bacillus sp.KSM-64 strain 83.6% is 86.7%.

The N131a cellulase coded from the gene of this invention and the highest homology were shown.

However, it was not what is completely in agreement.

This suggests that N131a cellulase is new alkali



N 1 3 1 a セルラーゼが新規なアルカリセルラーゼであることを示唆するものであり、従って配列番号 1 に示したアミノ酸配列と最大 8 7 % 以上の相同性を有するセルラーゼは本発明に含まれる。

#### 【 0 0 1 0 】

次に、本発明の配列番号 2 に示すアルカリセルラーゼ（以下、N 1 3 1 b セルラーゼと表記する）のアミノ酸配列と従来公知のセルラーゼのアミノ酸配列との相同性を比較すると、上記の N 1 3 1 a セルラーゼとの相同性は 8 3 . 6 %、Bacillus sp. No.1139 株の生産するセルラーゼとの相同性は 8 8 . 0 %、Bacillus sp. KSM-64 株由来のセルラーゼとの相同性は 9 0 . 9 % であった。さらに、Bacillus sp. KSM-S237 株が生産するセルラーゼとの相同性が 9 4 . 7 % と本発明の遺伝子からコードされる N 1 3 1 b と最も高い相同性を示した。このことは、N 1 3 1 b セルラーゼが従来公知のセルラーゼとは完全に一致するものではなく、新規な酵素であることを示唆するものであり、従って配列番号 2 に示したアミノ酸配列と最大 9 5 % 以上の相同性を有するセルラーゼは本発明に含まれる。尚、相同性の検索は G E N E N T Y X - C

cellulase.

Therefore, the amino acid sequence shown in sequence number 1 and the cellulase which has a maximum of 87 % or more homology are contained in this invention.

#### [0010]


Next, when the homology of the amino acid sequence of alkali cellulase (it shows it as N131b cellulase hereafter) and the amino acid sequence of conventionally well-known cellulase which are shown in sequence number 2 of this invention was compared, the homology with the cellulase derived from Bacillus sp. KSM-64 strain of the homology with the cellulase which, as for the homology with the above-mentioned N131a cellulase, a Bacillus sp. No. 1139 strain produces 83.6% was 90.9% 88.0%.

Furthermore, the homology with the cellulase which 237 strain of Bacillus sp. KSM-S produces showed 94.7%, N131b coded from the gene of this invention, and the highest homology.

N131b cellulase of conventionally well-known cellulase does not correspond completely, and this suggests that it is a new enzyme.

Therefore, the amino acid sequence shown in sequence number 2 and the cellulase which has a maximum of 95 % or more homology are contained in this invention.

In addition, it performed the search of homology with the maximum matching method which used the GENENTYX-CD bio-data software [software-development company make and



D バイオデータソフトウェア ver.36].

[ソフトウェア開発社製、ver. 36] を用いたマキシマムマッチング法にて行った。

#### 【0011】

本発明のアルカリセルラーゼ遺伝子は、配列番号1若しくは2に示すアミノ酸配列又はその変異体をコードするものであればよいが、配列番号3若しくは4で示される塩基配列、又は該塩基配列の1若しくは数個の塩基が欠失、置換若しくは付加された塩基配列を有するものが好ましい。

#### 【0012】

本発明のアルカリセルラーゼ遺伝子は、バチルス属に属する微生物、例えば下記の菌学的性質を有するバチルス エスピー KSM-N 131 株等からクローニングすることができる。

[バチルス エスピー KSM-N 131 株の菌学的性質]

A. 形態学的性質；

(a) 細胞の形及び大きさ：桿菌 (0.6~0.8×2.8~7.2 μm)

(b) 多形性：無し

(c) 運動性：有り

(d) 胞子の形、大きさ、位置、膨潤の有無：楕円形、0.7~1.0×1.0~1.8 μm、

#### [0011]

The alkali cellulase gene of this invention should just code the amino acid sequence shown in sequence number 1 or 2, or its variant. However, what has the base sequence by which the base sequence shown by sequence number 3 or 4, 1 of this base sequence, or some bases were delete, substitute or added is desirable.

#### [0012]

The alkali cellulase genes of this invention are the microorganisms belonging to the Bacillus, for example, Bacillus sp which has the following mycological characteristics. It can carry out a cloning from 131 strain of KSM-N etc.

[Mycological characteristics of 131 strain of Bacillus sp KSM-N]

A. Morphological characteristic;

(a) Form and size of cell : Bacillus (0.6-0.8\*2.8 to 7.2 micrometer)

(b) Polymorphism : nothing

(c) Manoeuverability : be.

(d) Form of spore, size, position, existence of swelling : ellipse form, 0.7-1.0\*1.0 to 1.8 micrometer, center semi- end, those with



中央準端、膨潤有り  
(e) グラム染色 : 陽性

swelling  
(e) Gram's stain : positive

(f) 抗酸性 : 陰性

(f) Acid-fastness : negativity

### 【0013】

B. 培養学的性質 ;

(a) 一般細菌用液体培地 (pH 5.7、培地1) : 生育せず

(b) 一般細菌用液体培地 (pH 6.8、培地1) : 生育せず

(c) 一般細菌用寒天培地 (pH 6.5、培地2) : 生育せず

(d) 一般細菌用寒天培地 (pH 8.5、培地2) : 生育する

### [0013]

B. Culture study characteristic;

(a) Broth for standard bacteria (pH5.7, medium 1) : don't grow.

(b) Broth for standard bacteria (pH6.8, medium 1) : don't grow.

(c) Agar for standard bacteria (pH6.5, medium 2) : don't grow.

(d) Agar for standard bacteria (pH8.5, medium 2) : grow.

### 【0014】

C. 生理学的性質 ;

(a) 硝酸塩の還元 (培地3) : 陽性

(b) 脱窒反応 (培地3) : 陰性

(c) VPテスト (培地4) : 陰性

(d) インドールの生成 (培地5) : 陰性

(e) 硫化水素の生成 (培地6) : 陰性

(f) デンプンの加水分解 (培地7) : 陽性

(g) カゼインの加水分解 (培地8) : 陰性

(h) ゼラチンの液化 (培地9) : 陽性

### [0014]

C. Physiological characteristic;

(a) Reduction of nitrate (medium 3) : positive

(b) Denitrification reaction (medium 3) : negativity

(c) VP test (medium 4) : negativity


(d) Formation of indole (medium 5) : negativity

(e) Formation of hydrogen sulfide (medium 6) : negativity

(f) Hydrolysis of starch (medium 7) : positive


(g) Hydrolysis of casein (medium 8) : negativity

(h) Liquefying of gelatin (medium 9) : positive  
- Utilization of 1 citric acid (medium 10) :



- (i) クエン酸の利用 (培地 10) : 陰性  
(j) カタラーゼ : 陽性  
(k) オキシダーゼ (培地 11) : 陽性
- (l) 生育の温度範囲 (培地 12) : 13 - 42 °C、至適範囲 : 23 - 38 °C  
(m) 生育の pH 範囲 (培地 13) : pH 7.6 - 10.5、至適範囲 : pH 9 - 9.5  
(n) 生育における酸素の影響 (培地 14) : 嫌気条件下で微弱だが生育する。  
(o) グルコースからのガス産生 (培地 15) : 陰性
- (p) 塩化ナトリウム耐性 (培地 16) : 10% 塩化ナトリウム存在下で生育する。  
(q) 馬尿酸の加水分解 (培地 17) : 陰性  
(r) 4-メチルウンベリフェリル-β-D-グルクロニド (MUG) の加水分解 (培地 18) : 陰性  
(s) 糖の利用性 (培地 19) : グルコース、アラビノース、キシロース、マンニトール、ガラクトース、シュクロース、マンノース、マルトース、ラクトース、トレハロース、フラクトース、メリビオース、リボース、サリシン、グリセロール、ソルビトール等を炭素源として生育
- negativity  
(j) Catalase : positive  
(k) Oxidase (medium 11) : positive
- (l) Temperature range of growth (medium 12) : 13 to 42 degree C, optimum range: 23-38 degree C  
(m) The pH range of growth (medium 13) : pH 7.6-10.5, optimum range: pH 9-9.5  
(n) Influence of the oxygen in growth (medium 14) : on anaerobic conditions, although it is feeble, grow.  
(o) Gas production from glucose (medium 15) : negativity
- (p) Sodium chloride resistance (medium 16) : grow in a sodium chloride presence 10%.  
(q) Hydrolysis of hippuric acid (medium 17) : negativity  
(r) Hydrolysis of 4-methylumbelliferyl-(beta)-D-glucuronide (MUG) (medium 18) : negativity  
(s) Utility of saccharide (medium 19) : it can grow the glucose, the arabinose, the xylose, a mannitol, the galactose, sucrose, the mannose, the maltose, a lactose, a trehalose, a fructose, the melibiose, the ribose, the salicin, a glycerol, sorbitol, etc. as a source of a carbon. It cannot utilize a rhamnose and an inositol as a source of a carbon.





可能である。ラムノース、イノシトールを炭素源として利用できない。

### 【0015】

培地1：ニュートリエントブロス（ディフコ）指示量、希塩酸にてpHを調整

培地2：ニュートリエントアガー（ディフコ）指示量、炭酸ナトリウムにてpHを調整

培地3：ニュートリエントブロス0.8重量%、硝酸カリウム0.1重量%、炭酸ナトリウム0.1重量%（別滅菌）

培地4：バクトペプトン（ディフコ）0.7重量%、塩化ナトリウム0.5重量%、グルコース0.5重量%（別滅菌）、炭酸ナトリウム0.2重量%（別滅菌）

培地5：SIM培地（日水製薬）指示量、炭酸ナトリウム0.1重量%（別滅菌）、インドール産生試験用濾紙（日水製薬）

培地6：TSI寒天培地（栄研化学）指示量、炭酸ナトリウム0.1重量%（別滅菌）

培地7：バクトペプトン1.5重量%、酵母エキス0.5重量%、可溶性デンプン2.0重量%、リン酸1水素カリウム0.1重量%、硫酸マグネシウム7水塩0.02重量%、寒天1.5重量%、炭酸ナトリウム0.

### [0015]

Medium 1: The amount of nutrient-broth (Difco) commands and the diluted hydrochloric acid adjust pH.

Medium 2: Adjust pH in the amount of nutrient agger (Difco) commands, and the sodium carbonate.

Medium 3: 0.8 weight% of nutrient broth, 0.1 weight% of potassium nitrate, 0.1 weight% (another sterilization) of sodium carbonate

Medium 4: 0.7 weight% (Difco) of bacto peptone, 0.5 weight% of sodium chloride, 0.5 weight% (another sterilization) of glucose, 0.2 weight% (another sterilization) of sodium carbonate

Medium 5: The amount of SIM medium (Nissui Pharmaceuticals) commands, 0.1 weight% (another sterilization) of sodium carbonate, the filter paper for an indole production test (Nissui Pharmaceuticals)

Medium 6: The amount of TSI agar (Eiken Chemical) commands, 0.1 weight% (another sterilization) of sodium carbonate

Medium 7: 1.5 weight% of bacto peptone, 0.5 weight% of yeast extract, 2.0 weight% of soluble starch, 0.1 weight% of phosphoric-acid 1 hydrogen potassium, 0.02 weight% of magnesium-sulfate heptahydride, 1.5 weight% of agar, 0.2 weight% (another sterilization) of



2 重量% (別滅菌)	sodium carbonate
培地 8 : 酵母エキス 0.5 重量%、グルコース 2.0 重量%、カゼイン 0.5 重量%、リン酸 1 水素カリウム 0.1 重量%、硫酸マグネシウム 7 水塩、0.02 重量%、寒天 1.5 重量%、炭酸ナトリウム 0.1 重量% (別滅菌)	Medium 8: 0.5 weight% of yeast extract, 2.0 weight% of glucose, 0.5 weight% of casein, 0.1 weight% of phosphoric-acid 1 hydrogen potassium, magnesium-sulfate heptahydrate, 0.02 weight%, 1.5 weight% of agar, 0.1 weight% (another sterilization) of sodium carbonate
培地 9 : ニュートリエントブロス 0.8 重量%、ゼラチン 1.2 重量%、酵母エキス 0.5 重量%、炭酸ナトリウム 0.2 重量% (別滅菌)	Medium 9: 0.8 weight% of nutrient broth, 1.2 weight% of gelatin, 0.5 weight% of yeast extract, 0.2 weight% (another sterilization) of sodium carbonate
培地 10 : リン酸 1 水素アンモニウム 0.1 重量%、リン酸 2 水素カリウム 0.1 重量%、硫酸マグネシウム 7 水塩、0.02 重量%、クエン酸ナトリウム 0.2 重量%、寒天 1.5 重量%、炭酸ナトリウム 0.1 重量% (別滅菌)	Medium 10: 0.1 weight% of phosphoric-acid 1 hydrogen ammoniums, 0.1 weight% of monobasic potassium phosphate, magnesium-sulfate heptahydrate, 0.02 weight%, 0.2 weight% of sodium citrate, 1.5 weight% of agar, 0.1 weight% (another sterilization) of sodium carbonate
培地 11 : チトクロムオキシダーゼ試験濾紙 (日水製薬)	Medium 11: Cytochrome oxidase test filter paper (Nissui Pharmaceuticals)
培地 12 : トリプティケースソイ ブロス (BBL) 指示量、炭酸ナトリウム 0.1 重量% (別滅菌)	Medium 12: Tryptocase soy The amount of broth (BBL) commands, 0.1 weight% (another sterilization) of sodium carbonate
培地 13 : トリプティケースソイ ブロスに炭酸ナトリウムあるいは水酸化ナトリウムを別滅菌後に添加し、pH を調整	Medium 13: Tryptocase soy It adds the sodium carbonate or the sodium hydroxide to a broth after another sterilization, it adjusts pH.
培地 14 : アナエロビックアガー (ディフコ) 指示量、炭酸ナ	Medium 14: The amount of anaerobic agger (Difco) commands, 0.2 weight% (another sterilization) of sodium carbonate



トリウム 0.2 重量% (別滅菌)  
 培地 15: バクトペプトン 1.0 重量%、塩化ナトリウム 0.5 重量%、グルコース 1.0 重量%、フェノールレッド 0.02 重量%、水酸化ナトリウムにて pH を調整  
 培地 16: バクトトリプトン (ディフコ) 0.5 重量%、酵母エキス 1.5 重量%、リン酸 1 水素カリウム 0.3 重量%、寒天 2.0 重量%、グルコース 2.0 重量% (別滅菌)、塩化ナトリウム 0.16 重量%、炭酸ナトリウム 0.5 重量% (別滅菌)

Medium 15: Adjust pH in 1.0 weight% of bacto peptone, 0.5 weight% of sodium chloride, 1.0 weight% of glucose, 0.002 weight% of phenol red, and the sodium hydroxide.

Medium 16: 0.5 weight% (Difco) of bacto tryptons, 1.5 weight% of yeast extract, 0.3 weight% of phosphoric-acid 1 hydrogen potassium, 2.0 weight% of agar, 2.0 weight% (another sterilization) of glucose, 0 to 16 weight% of sodium chloride, 0.5 weight% (another sterilization) of sodium carbonate

培地 17: バクトトリプトン 1.0 重量%、肉エキス (ディフコ) 0.3 重量%、酵母エキス 0.1 重量%、グルコース 0.1 重量%、リン酸 1 水素ナトリウム 0.5 重量%、馬尿酸 1.0 重量%、炭酸ナトリウム 1.0 重量% (別滅菌)

Medium 17: 1.0 weight% of bacto tryptons, 0.3 weight% (Difco) of meat extracts, 0.1 weight% of yeast extract, 0.1 weight% of glucose, 0.5 weight% of phosphoric-acid 1 hydrogen sodium, 1.0 weight% of hippuric acid, 1.0 weight% (another sterilization) of sodium carbonate

培地 18: バクトトリプトース (ディフコ) 2.0 重量%、塩化ナトリウム 0.5 重量%、システイン塩酸塩 0.1 重量%、寒天 1.5 重量%、MUG 100 ppm (濾過滅菌)、炭酸ナトリウム 0.3 重量% (別滅菌)

Medium 18: 2.0 weight% (Difco) of bacto tryptose, 0.5 weight% of sodium chloride, 0.1 weight% of cystein hydrochloride, 1.5 weight% of agar, MUG100 ppm (filtration sterilization), 0.3 weight% (another sterilization) of sodium carbonate

培地 19: 硝酸カリウム 0.2 重量%、リン酸 1 水素ナトリウム 0.2 重量%、塩化ナトリウム 0.5 重量%、硫酸マグネシウム 7 水塩 0.005 重量%、

Medium 19: 0.2 weight% of potassium nitrate, 0.2 weight% of phosphoric-acid 1 hydrogen sodium, 0.5 weight% of sodium chloride, 0.005 weight% of magnesium-sulfate heptahydrate, 0.2 volume % of trace amount metal <mixed-liquid SP> \*/SP>, 0.2 volume % of vitamin <mixed-liquid SP> \*\*</SP>, the



微量金属混液\* 0.2容量%、ビタミン混液\*\* 0.2容量%、炭酸緩衝液 (pH10) 0.1M、寒天0.3重量% (別滅菌)、糖類1.0重量% (濾過滅菌) \*、\*\* ; Nielsen ら、Microbiology, 141, 1745-1761(1995)に準ずる。

#### 【0016】

以上、KSM-N131株は中性培地に生育しない好アルカリ性細菌であり、且つグラム陽性、カタラーゼ陽性の有孢子桿菌であることから、好アルカリ性バチルス属細菌であると判断された。そこで本菌株の形態学、生理学的性質について、Nielsen らが新たに分類した好アルカリ性バチルス属細菌の記載 (Microbiology、141、1745-1761、1995) に準じ比較検討した結果、本菌株はバチルス シュウドアルカロフィルスに近縁な菌種であると考えられた。しかし、その性質は既知のバチルス シュウドアルカロフィルスと完全には一致せず、他のバチルス属菌の諸性質とも一致しないため、新規なバチルス属細菌として本菌株を工業技術院生命工学研究所へ、バチルス エスピー KSM-N131株 (FERMP-17475) として寄託した。

carbonic acid buffer (pH10) 0.1M, 0.3 weight% (another sterilization) of agar, 1.0 weight% (filtration sterilization) of sugars

\* \*\*;

It applies to Nielsen et al., Microbiology, 141, 1745-1761 (1995).

#### [0016]

As mentioned above, 131 strain of KSM-N is alkalophilic bacteriums which it does not grow to a neutral medium.

And since it was a gram-positive and catalase electropositive owner spore Bacillus, it was judged that they were alkali-loving Bacillus bacteria.

Then, Nielsen and others did comparison examination about the morphology of this-microbe strain, and a physiological characteristic according to publication (1745-Microbiology, 141, 1761, 1995) of the newly categorized alkali-loving Bacillus bacteria.

As a result, it was thought that this-microbe strain was a microbial species with close relation to a Bacillus shoed alcalophilus.

However, since it is not in agreement with a known Bacillus shoed alcalophilus and completeness and in agreement with the characteristics of several of another Bacillus genus, the characteristic is Bacillus sp to an institute-of-technology biotechnology research laboratory about this-microbe strain as new Bacillus bacteria. It deposited as 131 strain (FERMP-17475) of KSM-N.



## 【 0 0 1 7 】

上記のKSM-N 131株からのアルカリセルラーゼ遺伝子のクローニング方法としては、既知の手段、例えばショットガン法、PCR法を用いて行うことができる。

## [0017]

As the cloning method of the alkali cellulase gene from 131 strain of above-mentioned KSM-N, they are known means, for example, it can carry out using the shotgun method and PCR method.

## 【 0 0 1 8 】

また、本発明のアルカリセルラーゼ遺伝子を含む組換えベクターを作製するには、宿主内で複製維持が可能で、該酵素を安定に発現させることができ、該遺伝子を安定に保持できるベクターにアルカリセルラーゼ遺伝子を組込めばよい。かかるベクターとしては大腸菌を宿主とする場合、pUC18、pBR322、pHY300PLK等が挙げられ、枯草菌を宿主にする場合、pUB110、pHSP64 (Sumitomo ら、Biosci. Biotechnol. Biochem., 59, 2172-2175, 1995)、pHY300PLK等が挙げられる。

## [0018]

Moreover, what is necessary is for duplication maintenance to be possible within the host, and to be able to let this enzyme express stably and just to integrate an alkali cellulase gene in the vector which can maintain this gene stably, in order to produce the recombinant vector containing the alkali cellulase gene of this invention.

When making an Escherichia coli into the host as this vector, pUC18, pBR322, and pHY300PLK etc. are mentioned, when making the Bacillus subtilis into the host, pUB110, pHSP64 (Sumitomo et al., Biosci. Biotechnol. Biochem., 59, 2172-2175, 1995), and pHY300PLK etc. are mentioned.


## 【 0 0 1 9 】

かくして得られた組換えベクターを用いて宿主菌を形質転換するには、プロトプラスト法、コンピテントセル法、エレクトロポレーション法等を用いて行うことができる。宿主菌としては特に制限されないが、Bacillus 属 (枯草菌) 等のグラム陽性菌；

## [0019]

In order to transform a host microbe using the recombinant vector obtained by the thing which write, and to do, it can carry out using the protoplast method, the competent cell method, the electroporation method, etc.

It does not limit particularly as a host microbe. However, gram positive bacteria, such as a Bacillus genus (Bacillus subtilis);



Escherichia coli (大腸菌) 等のグラム陰性菌 ; Streptomyces 属 (放線菌)、Saccharomyces 属 (酵母)、Aspergillus 属 (カビ) 等の真菌が挙げられる。

Gram negative bacteria, such as *Escherichia coli* (*Escherichia coli*);

Fungi, such as a *Streptomyces* genus (actinomycetes), a *Saccharomyces* genus (yeast), and an *Aspergillus* genus (fungi), are mentioned.

#### 【 0 0 2 0 】

得られた形質転換体を培養し、当該培養液からアルカリセルラーゼを採取することにより、アルカリセルラーゼを得ることができる。培養は、宿主菌又は形質転換株が資化する炭素源、窒素源、金属塩、ビタミン等を含む培地を用いて適当な条件下で行なえばよい。かくして得られた培養液から、一般的な方法によって酵素の採取、精製を行い、凍結乾燥、噴霧乾燥、結晶化等により、所望の酵素形態とすることができる。

#### [0020]

It cultivates the obtained transformed body, by collecting alkali cellulase from said culture medium, it can obtain alkali cellulase.

What is sufficient is just to perform a culture on suitable conditions using the medium containing the source of a carbon which a host microbe or the transformant can utilize, the source of nitrogen, a metallic salt, a vitamin, etc.

From the culture medium obtained by the thing which write, and to do, it can perform collection of an enzyme, and purification by the general method, and can consider it as the desired enzyme form according to freeze-dried, spray drying, crystallization, etc.

#### 【 0 0 2 1 】

##### 【実施例】

実施例 1 (アルカリセルラーゼ生産菌のスクリーニング)

日本各地の土壌を滅菌水に懸濁したものを 80℃、30 分間熱処理し、以下の組成を有する寒天平板培地に塗布した [2.0 重量%カルボキシメチルセルロース (A10MC ; 日本製紙社製)、1.0 重量%肉エキス (オキソイド社製)、1.0 重量%バ

#### [0021]

##### [EXAMPLES]

Example 1 (screening of an alkali cellulase producing microbe)

It heat-processes 80 degrees C of things which suspended the soil of every place of Japan in the sterilized water for 30 minutes, [2.0-weight% carboxymethylcellulose applied to the agar planar medium which has the following compositions (A10MC;)

The Nippon Paper Industries make, the 1.0-weight% meat extract (oxo id shrine make),



クトペプトン（ディフコ社製）、1.0重量%塩化ナトリウム、0.1重量%リン酸2水素カリウム、0.5重量%炭酸ナトリウム（別滅菌）、0.005重量%トリパンブルー（別滅菌）]。30℃の培養器で3日間静置培養し、生育した菌の周辺にカルボキシメチルセルロースの分解に伴う溶解斑が検出されたものについて選抜し、シングルコロニー化を繰り返した。これらの菌株を、2.0重量%ポリペプトンS（日本製薬社製）、1.0重量%魚肉エキス（和光純薬社製）、0.15重量%リン酸1水素カリウム、0.1重量%酵母エキス（ディフコ社製）、0.07重量%硫酸マグネシウム7水塩、0.1重量%カルボキシメチルセルロース及び0.5重量%炭酸ナトリウム（別滅菌）から成る液体培地を用い、30℃、3日間振盪培養した。アルカリセルラーゼを生産している菌株を選抜し、とりわけ高アルカリ性域で強力な活性を示したセルラーゼ生産菌としてバチルス エスピー KSM-N 131株を取得した。

#### 【0022】

実施例2（バチルス エスピー KSM-N 131株のゲノムDNAの調製）  
バチルス エスピー KSM-

the 1.0-weight% bacto peptone (made by a Difco company), 1.0-weight% sodium chloride, 0.1-weight% monobasic potassium phosphate, the 0.5-weight% sodium carbonate (another sterilization), and the 0.005-weight% trypan blue (another sterilization)].


It carries out stationary culture for three days by a 30-degree C incubator, it selects about that from which the melting spots accompanying a degradation of carboxymethylcellulose were detected around the grown microbe, it repeated single colony-ization.

It carried out the shaking culture of the 30 degrees C of these strains for three days using the broth which constitutes of the 2.0-weight% polypeptone S (made by NIHON PHARMACEUTICAL CO., LTD.), the 1.0-weight% fish-meat extract (made by a Wako Purechemical KK), 0.15-weight% phosphoric-acid 1 hydrogen potassium, the 0.1-weight% yeast extract (made by a Difco company), 0.07-weight% magnesium-sulfate heptahydrate, 0.1-weight% carboxymethylcellulose, and the 0.5-weight% sodium carbonate (another sterilization).

It chooses the strain which produces alkali cellulase, it is Bacillus sp as a cellulase producing microbe which showed activity especially powerful in a high alkaline region. It acquired 131 strain of KSM-N.

#### [0022]

Example 2 (manufacture of the genome DNA of 131 strain of Bacillus sp KSM-N)  
Bacillus sp Using the medium which constitutes of the 2.0-weight% polypeptone S,



N 1 3 1 株の培養は、2. 0 重量%ポリペプトンS、0. 1 重量%カルボキシセルロース (A 1 0 MC)、0. 1 重量%酵母エキス、1 重量%魚肉エキス、0. 1 5 重量%リン酸1 水素カリウム、0. 0 7 重量%硫酸マグネシウム7 水塩、0. 5 重量%グルタミン酸ナトリウム(別滅菌) 及び0. 5 重量%炭酸ナトリウム(別滅菌) から成る培地を用い、3 0 °C、4 0 時間振盪 (1 2 5 r p m) して行った。得られた培養液約3 0 0 m L から遠心分離 (1 2 0 0 0 × g、1 5 分、5 °C) により菌体を回収し、この菌体から斉藤・三浦の方法によりゲノムDNAを調製した。

### 【0 0 2 3】

実施例3 (N 1 3 1 a セルラーゼ遺伝子断片のクローニング)  
バチルス エスピー K S M - N 1 3 1 株の培養上清から精製したセルラーゼのアミノ末端配列を1 5 番目まで決定した結果、G l u - G l y - A s n - T h r - A r g - G l u - A s p - A s n - P h e - A s p - H i s - L e u - L e u - G l y - A s n であった。この配列は、バチルス エスピー K S M - S 2 3 7 株やバチルス エスピー K S M - 6 4 株の生産するアルカリセルラーゼのアミ

the 0.1-weight% carboxy cellulose (A10MC), the 0.1-weight% yeast extract, the 1-weight% fish-meat extract, 0.15-weight% phosphoric-acid 1 hydrogen potassium, 0.07-weight% magnesium-sulfate heptahydride, the 0.5-weight% sodium glutamate (another sterilization), and the 0.5-weight% sodium carbonate (another sterilization), 30 degrees C, it shook the culture of 131 strain of KSM-N for 40 hours (125 rpm), and performed it.

Centrifugation (12000\*g, 15 minutes, 5 degrees C) recovers a microbial cell from about 300 mL of obtained culture mediums, it prepared genome DNA by the method of Saito and a Miura from this microbial cell.

### [0023]

Example 3 (cloning of an N131a cellulase gene fragment)


Bacillus sp It decided the amino-terminus sequence of the cellulase purified from the culture supernatant of 131 strain of KSM-N to the 15th.

As a result, it was Glu-Gly-Asn-Thr-Arg-Glu-Asp-Asn-Phe-Asp-His-Leu-Leu-Gly-Asn.

This sequence is Bacillus sp. 237 strain of KSM-S, and Bacillus sp Amino-terminus sequence

Glu-Gly-Asn-Thr-Arg-Glu-Asp-Asn-Phe-Lys-His-Leu-Leu-Gly-Asn of the KSM-64 strain alkali cellulase to produce and extremely high






ノ末端配列 G l u - G l y - A s n - T h r - A r g - G l u - A s p - A s n - P h e - L y s - H i s - L e u - L e u - G l y - A s n と極めて高い相同性を示した。そこで中間のアミノ酸配列も相同性が高い可能性があるとして予想し、S237セルラーゼのアミノ末端及び中間アミノ酸配列を基にプライマー1（配列番号5）及びプライマー2（配列番号6）を合成し、これらを用いてN131aセルラーゼをコードする遺伝子の増幅をPCR反応により試みた。すなわち、バチルス エスピー KSM-N131株ゲノム溶液1  $\mu$ L (100 ng)、プライマー1及び2各20  $\mu$ L (1  $\mu$ M)、PCR用緩衝液10  $\mu$ L、2.5 mM dNTPミックス8  $\mu$ L、Pyrobest DNAポリメラーゼ（タカラ社製）0.5  $\mu$ L (2.5単位)、及び脱イオン水40  $\mu$ Lを混合し、サーマルサイクラー480（パーキンエルマー社製）にて94℃、2分間の熱変性後、94℃で1分間、55℃で1分間、72℃で2分間を1サイクルとし、30サイクルの反応条件でDNAの増幅を行った。得られたPCR産物（約1 kb）をGFX PCR DNA and Gel Band Purification Kit（ファ

homology were shown.

Then, it also anticipates a middle amino acid sequence that homology may be high, it compounds primer 1 (sequence number 5) and primer 2 (sequence number 6) based on the amino terminus and middle amino acid sequence of S237 cellulase, it tried amplification of the gene which codes N131a cellulase using these according to PCR reaction.

Namely, Bacillus sp It mixes 131 strain of KSM-N genome solution 1 micronL (100 ng), primer 1 and 220 micronL each (1 micronM), buffer 10 micronL for PCR, 2.5 mM dNTP mix 8 micronL, Pyrobest DNA polymerase (made by Takara company) 0.5 micronL (2.5 unit), and deionized-water 40 micronL, after 94 degrees C and the thermal denaturation for 2 minutes, by 94 degrees C, it makes for 1 minute at 55 degrees C for 1 minute, and makes for 2 minutes into 1 cycle at 72 degrees C at thermal cyclor 480 (made by Perkin-Elmer corporation), it performed amplification of DNA on 30-cycle reaction conditions.

GFX PCR DNA and Gel Band Purification Kit (made by Pharmacia K.K.) purifies the acquired PCR production (about 1 kb), it decided the base sequence of the obtained DNA fragment using DNA Sequencing Kit (made by an applied bio-system company), and a 377DNA sequencer (made by a Perkin-Elmer bio-system company).



ルマシア社製)により精製し、得られたDNA断片の塩基配列をDNA Sequencing Kit (アプライドバイオシステム社製) 及び377 DNAシーケンサー (パーキンエルマーバイオシステム社製) を用いて決定した。

#### 【0024】

実施例4 (N131a セルラーゼ遺伝子のゲノムPCR法によるクローニング)

実施例3で決定したN131a セルラーゼ遺伝子は不完全なものであったため、インバースPCR法により全遺伝子の取得を試みた。すなわち、バチルス エスピー KSM-N131株ゲノム溶液10  $\mu$ L (8  $\mu$ g)、PCR用緩衝液5  $\mu$ L、脱イオン水34  $\mu$ L及びEcoRI 1  $\mu$ L (10単位)を混合し、37℃、2時間30分間制限酵素処理した。得られたゲノム分解産物を精製後、Ligation Kit Ver. 2 (タカラ社製)を用いて自己閉環した(16℃、2時間)。自己閉環したDNAを精製し、インバースPCR法の鑄型として用いた。PCR反応は、自己閉環溶液1  $\mu$ L、プライマー3 (配列番号7) 及びプライマー4 (配列番号8) 各20  $\mu$ L (1  $\mu$ M)、PCR用緩衝液10  $\mu$ L、2.5 mM dNTP

#### [0024]

Example 4 (cloning by the genome PCR method of an N131a cellulase gene)

Since the N131a cellulase gene decided in Example 3 was imperfect, it tried acquisition of all genes by Inverse PCR method.

Namely, Bacillus sp It mixes 131 strain of KSM-N genome solution 10 micronL (8 microgram), buffer 5 micronL for PCR, deionized-water 34 micronL, and EcoRI 1 micronL (10 unit), 37 degrees C carried out restriction enzyme treatment for 2 hours and 30 minutes.

It carried out the self-ring closure after purifying the acquired genome cleavage product using Ligation Kit Ver.2 (made by the Takara company) (16 degrees C, 2 hours).

It purifies DNA which carried out the self-ring closure, it used as a casting mould of Inverse PCR method.

PCR reaction is self-ring-closure solution 1 micronL, primer 3 (sequence number 7), and primer 4(sequence number 8) 20 micronL each (1 micronM), buffer 10 micronL for PCR, 2.5 mM dNTP mix 8 micronL, after mixing Pyrobest DNA-polymerase 0.5 micronL (2.5 unit) and deionized-water 40.5 micronL, after 94 degrees



P ミックス  $8 \mu\text{L}$ 、P y r o b e s t DNA ポリメラーゼ  $0.5 \mu\text{L}$  (2.5 単位)、及び 脱イオン水  $40.5 \mu\text{L}$  を混合した後、 $94^\circ\text{C}$ 、2 分間の熱変性後、 $94^\circ\text{C}$  で 1 分間、 $55^\circ\text{C}$  で 1 分間、 $72^\circ\text{C}$  で 3 分間を 1 サイクルとし、30 サイクル行った。増幅した DNA 断片 (約  $4 \text{ kb}$ ) を精製し、このうち約  $2 \text{ kb}$  の塩基配列を決定した。この段階で完全な N131a セルラーゼ遺伝子及びその上流約  $500 \text{ b}$  の配列は決定されたので、次に構造遺伝子下流の塩基配列決定を進め、下流約  $200 \text{ b}$  の塩基配列を決定した。得られた塩基配列からセルラーゼ遺伝子の上流領域並びに下流領域の塩基配列を基に、プライマー 5 (配列番号 9) 及びプライマー 6 (配列番号 10) を合成し、バチルス エスピー N131 株のゲノムから PCR 法により N131a セルラーゼ遺伝子を増幅した。得られた遺伝子の塩基配列を決定し、アミノ酸配列を推定した (配列番号 1 及び 3)。

#### 【0025】

実施例 5 (形質転換枯草菌による N131a セルラーゼの生産)

N131a セルラーゼのアミノ末端側からターミネーター下流

C and the thermal denaturation for 2 minutes, by  $94^\circ\text{C}$ , it makes for 1 minute at  $55^\circ\text{C}$  for 1 minute, and makes for 3 minutes into 1 cycle at  $72^\circ\text{C}$ , it performed 30 cycles.

It purifies the amplified DNA fragment (about  $4 \text{ kb(s)}$ ), among these, it decided the base sequence of about  $2 \text{ kb(s)}$ .

Since, the sequence of a perfect N131a cellulase gene and its upper approximately  $500 \text{ b}$  was decided in this phase, next, it advanced the base-sequence decision of a structural-gene downstream, and decided the base sequence of down-stream approximately  $200 \text{ b}$ .

Based on the base sequence of the upstream region of a cellulase gene, and a downstream region, it compounds primer 5 (sequence number 9) and primer 6 (sequence number 10) from the obtained base sequence, bacillus sp It amplified the N131a cellulase gene by PCR method from the N131 strain genome.

It decides the base sequence of the obtained gene, it presumed the amino acid sequence (sequence number 1 and 3).

#### [0025]

Example 5 (production of the N131a cellulase by the transforming *Bacillus subtilis*)

It connects the gene from the amino-terminus side of N131a cellulase to a terminator downstream with the Sall/BamHI part of a



までの遺伝子をプラスミド (pHSP64) の S a l I / B a m H I 部位に連結し、構築した組換えプラスミドを枯草菌 ISW1214 株に導入して形質転換した。形質転換株を 3.0 重量%ポリペプトン S、3.0 重量%マルトース、0.5 重量%魚肉エキス、0.1 重量%酵母エキス、0.1 重量%リン酸 2 水素カリウム、0.02 重量%硫酸マグネシウム 7 水塩及びテトラサイクリン (7.5  $\mu$ g/mL) から成る培地 (PM 培地、pH 6.8) にて 30°C、48 時間振盪培養を行った。遠心分離 (8000  $\times$  g、20 分間、4°C) により得られた培養上清中のセルラーゼの活性は、約 20000 U/L であった。

#### 【0026】

実施例 6 (N131b セルラーゼ遺伝子のゲノム PCR 法によるクローニング)

N131a セルラーゼのクローニングを行った際に、N131a セルラーゼの配列と類似した配列がバチルス エスピー K SM-N131 株のゲノム上に存在する可能性が示唆された。そこで、N131a セルラーゼ遺伝子のクローニングの際に用いた方法と同様に、S237 セルラーゼのアミノ末端及び中間アミノ酸配列を基にプライマー

plasmid (pHSP64), it introduced the built recombinant plasmid into 1214 strain of *Bacillus subtilis* ISW, and transformed it.

It performed 30 degrees C and a 48-hour shaking culture in the medium (PM medium, pH6.8) which constitutes the transformant of the 3.0-weight% polypeptone S, the 3.0-weight% maltose, the 0.5-weight% fish-meat extract, the 0.1-weight% yeast extract, 0.1-weight% monobasic potassium phosphate, 0.02-weight% magnesium-sulfate heptahydrate, and tetracycline (7.5 microgram/mL).


The activity of the cellulase in the culture supernatant obtained by the centrifugation (for 8000\* $g$  and 20 minutes, 4 degrees C) was about 20000 U/L.

#### [0026]

Example 6 (cloning by the genome PCR method of an N131b cellulase gene)

The sequence which was similar with the sequence of N131a cellulase when a cloning of N131a cellulase was performed is *Bacillus* sp. Possibility of existing on the genome of 131 strain of KSM-N was suggested.

Then, it compounds a primer 7-12 (sequence number 11-16) based on the amino terminus and middle amino acid sequence of S237 cellulase like the method used on the occasion of a cloning of an N131a cellulase gene, it performed amplification of the gene which codes N131b cellulase by PCR method.



7～12 (配列番号11～16) を合成し、PCR法によりN131bセルラーゼをコードする遺伝子の増幅を行った。すなわち、バチルス エスピー KSM-N131株のゲノム溶液1  $\mu$ L (70 ng)、プライマーの組合せを各10  $\mu$ L (0.3  $\mu$ M)、PCR用緩衝液10  $\mu$ L、2.5 mM dNTP ミックス8  $\mu$ L、脱イオン水60  $\mu$ L及び PwoDNAポリメラーゼ (ベーリンガーマンハイム社製) 1  $\mu$ L (5単位)を混合し、94℃、2分間の熱変性後、94℃で1分間、55℃で1分間、72℃で3分間を1サイクルとし、30サイクルの反応条件でDNAの増幅を行った。得られたPCR産物をHigh Pure PCR Product Purification Kit (ベーリンガーマンハイム社製)を用いて精製し、377 DNAシーケンサーにより塩基配列をそれぞれ決定した。得られた遺伝子断片の塩基配列をS237セルラーゼ遺伝子と比較すると、N131bセルラーゼのアミノ末端以降をコードすると考えらるいくつかの遺伝子断片及び停止コドンとその下流域と考えられる遺伝子断片の存在が示唆された。しかし、完全な塩基配列は決定されていないこと並びに開始コドン及びその近傍の

Namely, *Bacillus* sp It mixes ten micronL(s) each (0.3 micronM), buffer 10 micronL for PCR, 2.5 mM dNTP mix 8 micronL, deionized-water 60 micronL, and PwoDNA polymerase (made by Boehringer-Mannheim company) 1 micronL (5 unit) for the combination of genome solution 1 micronL (70 ng) of 131 strain of KSM-N, and a primer, after 94 degrees C and the thermal denaturation for 2 minutes, by 94 degrees C, it makes for 1 minute at 55 degrees C for 1 minute, and makes for 3 minutes into 1 cycle at 72 degrees C, it performed amplification of DNA on 30-cycle reaction conditions.

It purifies the acquired PCR production using High Pure PCR Product Purification Kit (made by a Boehringer-Mannheim company), 377DNA sequencer- each decided the base sequence.

The presence of the gene fragment considered to be the gene fragment and the stop codon, and its down-stream region of some which are considered to code the amino terminus of N131b cellulase or subsequent ones compared with a S237 cellulase gene in the base sequence of the obtained gene fragment was suggested.

However, the perfect base sequence was not acquired as a gene fragment about not deciding, the initiating codon, and the region of the vicinity.

First, it is *Bacillus* sp in order to acquire the gene which codes the upstream region from an amino terminus. Various restriction

enzymes (Sau 3A, EcoRI, HindIII) degrade genome-DNA 4 microgram of 131 strain of KSM-N, it made what was connected with the cassette using the LA PCR in vitro cloning kit





結合部位などの翻訳開始に必要な配列が見出されず、オーカーコドン (TAA) がいくつも存在することも明らかになった。従って、本遺伝子は細胞内で発現しない擬似遺伝子である可能性が高いと考えられた。完全な N131b セルラーゼ遺伝子をコードする塩基配列を決定するためにプライマー 15 (配列番号 19) 及びプライマー 16 (配列番号 20) を用いて PCR 反応を行った。最終的に決定された塩基配列及び推定されるアミノ酸配列を配列番号 2 及び配列番号 4 に示した。

#### 【0027】

実施例 7 (形質転換枯草菌による N131b セルラーゼの生産)

細胞内で発現しない可能性のある N131b セルラーゼを生産させる目的で、遺伝子の発現に必要な領域としてバチルス エスピー KSM-64 株由来のアルカリセルラーゼ遺伝子 (Sumitomo ら、Biosci. Biotechnol. Biochem., 56, 827-877, 1992) の上流発現領域を増幅した [プライマー 17 (配列番号 21) 及びプライマー 18 (配列番号 22) を使用]。得られた N131b セルラーゼ遺伝子断片と上流発現領域遺伝子断片を精製し、プライマー 1

#### [0027]

Example 7 (production of the N131b cellulase by the transforming *Bacillus subtilis*)

It is *Bacillus* sp as region required for the expression of a gene in order to produce the N131b cellulase which may not express in the cell. It is the [primer 17 (sequence number 21) and primer 18 (sequence number 22) which amplified the upper expression region of the alkali cellulase gene (Biosci. Biotechnol. Sumitomo et al., Biochem., 56, 827-877, 1992) derived from KSM-64 strain Use]

It purifies the N131b cellulase gene fragment and the upper expression region gene fragment which were obtained, recombinant PCR method performed amplification of DNA using primer 16 (sequence number 20) and primer 17 (sequence number 21).

It purifies the acquired chimera gene, it



6 (配列番号 20) 及びプライマー 17 (配列番号 21) を用いてリコンビナント PCR 法により DNA の増幅を行った。取得したキメラ遺伝子を精製し、制限酵素 B g l II 及び H i n d III で処理後、予め同じ制限酵素で処理しておいたプラスミド p H Y 3 0 0 P L K (ヤクルト本社製) に連結した。得られた組換えプラスミドをプロトプラスト法により枯草菌 I S W 1 2 1 4 株に導入し、形質転換を行った。形質転換株を PM 培地 (テトラサイクリンは  $15 \mu\text{g}/\text{mL}$  とした) 中で  $30^\circ\text{C}$ 、72 時間振盪培養した。遠心分離により得られた培養上清中のセルラーゼの活性は、約  $33000 \text{ U/L}$  であった。

#### 【0028】

[酵素活性測定法]  $0.2 \text{ mL}$  の  $0.5 \text{ M}$  グリシン-水酸化ナトリウム緩衝液 ( $\text{pH} 9.0$ )、 $0.4 \text{ mL}$  の  $2.5$  重量%カルボキシメチルセルロース (A01MC; 日本製紙社製) 及び  $0.3 \text{ mL}$  の脱イオン水から成る反応液に、適当に希釈した  $0.1 \text{ mL}$  の酵素液を加えて 20 分間反応させた後、 $1 \text{ mL}$  のジニトロサリチル酸試薬 ( $0.5$  重量% ジニトロサリチル酸、 $30$  重量% ロッセル塩、 $1.6$  重量% 水酸化ナトリウム水溶液) を添

connected with plasmid pHY300PLK (made by Yakult Honsha) treated beforehand at the same restriction enzyme after treatment by restriction enzyme BglII HindIII.

It introduces the obtained recombinant plasmid into 1214 strain of Bacillus subtilis ISW by the protoplast method, it performed transforming.

It carried out the shaking culture of the  $30$  degrees C of the transformant for 72 hours in PM medium (it set the tetracycline to  $15 \text{ microgram(s)/mL}$ ).

The activity of the cellulase in the culture supernatant obtained by the centrifugation was about  $33000 \text{ U/L}$ .


#### [0028]

[Enzyme active measuring method]

$0.2 \text{ mL}$   $0.5 \text{ M}$  glycine- sodium-hydroxide buffer ( $\text{pH} 9.0$ ),  $0.4 \text{ mL}$   $2.5$ -weight% carboxymethylcellulose (A01MC;)

After adding the  $0.1 \text{ mL}$  enzyme liquid diluted suitably to the reaction mixture which constitutes of the Nippon Paper Industries make and a  $0.3 \text{ mL}$  deionized water and letting it react to it for 20 minutes, it adds the  $1 \text{ mL}$  dinitro salicylic-acid reagent (the  $0.5$ -weight% dinitro salicylic acid, the  $30$ -weight% Rochelle salt, the  $1.6$ -weight% sodium-hydroxide aqueous solution), it performed the color development of the reducing sugar for 5 minutes in boiling





加し、沸水中で5分間還元糖の発色を行った。氷水中で急冷し、4 mLの脱イオン水を加え、535 nmにおける吸光度を測定して還元糖の生成量を求めた。尚、ブランクは酵素液を加えずに処理した反応液にジニトロサリチル酸試薬を加えた後、酵素液を添加し、同様に発色させたものを用意した。酵素1単位(1 U)は、上記反応条件下において1分間に1  $\mu$ molのグルコース相当の還元糖を生成する量とした。

#### 【0029】

参考例1 (N131aセルラーゼの最適反応pH)  
クエン酸緩衝液 (pH4-7)、リン酸緩衝液 (pH6-8)、トリス-塩酸緩衝液 (pH7-9)、グリシン-水酸化ナトリウム緩衝液 (pH8-11)、リン酸-水酸化ナトリウム緩衝液 (pH12-12.5) の各緩衝液 (100 mM) を用いて最適反応pHを調べた結果、N131aセルラーゼはpH9-9.5のグリシン-水酸化ナトリウム緩衝液中で最も高い反応速度を示した。また、pH7から11の間で最大活性の50%以上の活性を有していた (図1)。

#### 【0030】

water.

It quenches in ice water, it added the 4 mL deionized water, it measured the absorbance in 535 nm, and calculated the produced amount of the reducing sugar.

In addition, a blank adds enzyme liquid, after adding the dinitro salicylic-acid reagent to the reaction mixture treated without adding enzyme liquid, it prepared what was developed colors similarly.

It made 1 unit (1U) of enzymes into the quantity which forms the reducing sugar of the glucose of 1 micrometerol in 1 minute on the above-mentioned reaction conditions.

#### [0029]


Reference Example 1 (the optimal reaction pH of N131a cellulase)

It examined the optimal reaction pH using each buffer (100 mM) of citrate buffer solution (pH4-7), a phosphate buffer (pH6-8), tris-hydrochloric-acid buffer (pH7-9), glycine-sodium-hydroxide buffer (pH8-11), and phosphoric-acid-sodium-hydroxide buffer (pH12-12.5).

As a result, N131a cellulase showed the highest reaction rate in the glycine- sodium-hydroxide buffer of pH9-9.5.

Moreover, it had the activity of 50 % or more of the maximum activity between 11 from pH7 (FIG. 1).

#### [0030]



参考例 2 (N 1 3 1 b セルラーゼの最適反応 pH)

参考例 1 と同様にして N 1 3 1 b セルラーゼの最適反応 pH を調べた結果、pH 9 - 9.5 のグリシン-水酸化ナトリウム緩衝液中で最も高い反応速度を示した。また、pH 7 から 11 の間で最大活性の 50 % 以上の活性を有していた (図 2)。

Reference Example 2 (the optimal reaction pH of N131b cellulase)

It examined the optimal reaction pH of N131b cellulase like Reference Example 1.

As a result, the highest reaction rate in the glycine- sodium-hydroxide buffer of pH9-9.5 was shown.

Moreover, it had the activity of 50 % or more of the maximum activity between 11 from pH7 (FIG. 2).

【0031】

[0031]

【発明の効果】

本発明のアルカリセルラーゼ遺伝子を用いれば、衣料用洗剤、繊維処理剤等として有用なアルカリセルラーゼを単一且つ大量に生産することが可能である。

[ADVANTAGE OF THE INVENTION]

If the alkali cellulase gene of this invention is used, alkali cellulase useful as the detergent for garments, a fiber processing agent, etc. is producible individually and in large quantities.

【0032】

[0032]

【配列表】

SEQUENCE LISTING

<110> KAO CORPORATION  
<120> Gene for Alkaline Cellulase

<130> P00741202  
<160> 22  
<210> 1  
<211> 859

<212> PRT  
<213> Bacillus sp.  
<400> 1

[SEQUENCE TABLE]

SEQUENCE LISTING

<110> KAO CORPORATION  
<120> Gene for Alkaline Cellulase

<130> P00741202  
<160> 22  
<210> 1  
<211> 859

<212> PRT  
<213> Bacillus sp.  
<400> 1



Met Met Leu Arg Lys Lys Thr Met Met Leu Arg Lys Lys Thr Lys Gln Leu Ile  
 Lys Gln Leu Ile Ser Ser Thr Leu Ser Ser Thr Leu Ile  
 Ile

5 5 10 15  
 10 15 Leu Val Leu Leu Leu Ser Leu Phe Pro Thr Ala  
 Leu Val Leu Leu Leu Ser Leu Leu Ala Ala Glu Gly  
 Phe Pro Thr Ala Leu Ala Ala 20 25  
 Glu Gly 30  
 20 Asn Thr Arg Glu Asp Asn Phe Asp His Leu Leu  
 25 30 Gly Asn Glu Asn Val  
 Asn Thr Arg Glu Asp Asn Phe  
 Asp His Leu Leu Gly Asn Glu  
 Asn Val

35 35 40  
 40 45 45  
 Lys Arg Pro Ser Glu Ala Gly Ala Lys Arg Pro Ser Glu Ala Gly Ala Leu Gln Leu  
 Leu Gln Leu Lys Glu Val Asp Lys Glu Val Asp Gly  
 Gly 50 55  
 50 55 60  
 60 Gln Met Thr Leu Val Asp Gln His Gly Glu Lys Ile  
 Gln Met Thr Leu Val Asp Gln Gln Leu Arg Gly  
 His Gly Glu Lys Ile Gln Leu Arg  
 Gly

65 70 65 70  
 75 80 75 80  
 Met Ser Thr His Gly Leu Gln Met Ser Thr His Gly Leu Gln Trp Phe Pro Glu Ile  
 Trp Phe Pro Glu Ile Leu Asn Leu Asn Asp Asn  
 Asp Asn 85 90  
 85 95  
 90 95 Ala Tyr Lys Ala Leu Ser Asn Asp Trp Asp Ser  
 Ala Tyr Lys Ala Leu Ser Asn Asn Met Ile Arg Leu  
 Asp Trp Asp Ser Asn Met Ile  
 Arg Leu



100	100	105
105	110	110
Ala Met Tyr Val Gly Glu Asn Gly	Ala Met Tyr Val Gly Glu Asn Gly Tyr Ala Thr Asn	
Tyr Ala Thr Asn Pro Glu Leu Ile	Pro Glu Leu Ile	
115	115	120
120	125	125
Lys Gln Arg Val Ile Asp Gly Ile	Lys Gln Arg Val Ile Asp Gly Ile Glu Leu Ala Ile	
Glu Leu Ala Ile Glu Asn Asp	Glu Asn Asp Met	
Met		
130	135	135
140	140	
Tyr Val Ile Val Asp Trp His Val	Tyr Val Ile Val Asp Trp His Val His Ala Pro Gly	
His Ala Pro Gly Asp Pro Arg	Asp Pro Arg Asp	
Asp	145	150
145	150	160
155	160	Pro Val Tyr Ala Gly Ala Glu Asp Phe Phe Arg
Pro Val Tyr Ala Gly Ala Glu Asp	Asp Ile Ala Ala Leu	
Phe Phe Arg Asp Ile Ala Ala		
Leu		
165	165	170
170	175	175
Tyr Pro Asn Asn Arg His Ile Ile	Tyr Pro Asn Asn Arg His Ile Ile Tyr Glu Leu Ala	
Tyr Glu Leu Ala Asn Glu Pro	Asn Glu Pro Ser	
Ser	180	185
180	190	
185	190	Ser Asn Asn Asn Gly Gly Ala Gly Ile Pro Asn
Ser Asn Asn Asn Gly Gly Ala	Asn Glu Glu Gly Trp	
Gly Ile Pro Asn Asn Glu Glu Gly		
Trp		
195	195	200
200	205	205
Lys Ala Val Lys Glu Tyr Ala Asp	Lys Ala Val Lys Glu Tyr Ala Asp Pro Ile Val Glu	




Pro Ile Val Glu Met Leu Arg Asp	Met Leu Arg Asp	
210	215	210 215
220		220
Ser Gly Asn Ala Asp Asp Asn	Ser Gly Asn Ala Asp Asp Asn Ile Ile Ile Val Gly	
Ile Ile Ile Val Gly Ser Pro Asn	Ser Pro Asn Trp	
Trp		
225	230	225 230
235	240	235 240
Ser Gln Arg Pro Asp Leu Ala	Ser Gln Arg Pro Asp Leu Ala Ala Asp Asn Pro	
Ala Asp Asn Pro Ile Asn Asp His	Ile Asn Asp His His	
His		245 250
	245	255
250	255	Thr Met Tyr Thr Val His Phe Tyr Ser Gly Ser His
Thr Met Tyr Thr Val His Phe Tyr	Ala Ala Ser Thr	
Ser Gly Ser His Ala Ala Ser Thr		
	260	260 265
265	270	270
Glu Ser Tyr Pro Pro Glu Thr Pro	Glu Ser Tyr Pro Pro Glu Thr Pro Asn Ser Glu	
Asn Ser Glu Arg Gly Asn Val	Arg Gly Asn Val Met	
Met		275 280
	275	285
280	285	Ser Asn Thr Arg Tyr Ala Leu Glu Asn Gly Val Ala
Ser Asn Thr Arg Tyr Ala Leu	Val Phe Ala Thr	
Glu Asn Gly Val Ala Val Phe Ala		
Thr		
290	295	290 295
300		300
Glu Trp Gly Thr Ser Gln Ala Asn	Glu Trp Gly Thr Ser Gln Ala Asn Gly Asp Gly	
Gly Asp Gly Gly Pro Tyr Phe	Gly Pro Tyr Phe Asp	
Asp		305 310
305	310	315 320
315	320	Glu Ala Asp Val Trp Ile Glu Phe Leu Asn Glu
Glu Ala Asp Val Trp Ile Glu Phe	Asn Asn Ile Ser Trp	



Leu Asn Glu Asn Asn Ile Ser  
Trp

	325	325	330
330	335	335	
Ala Asn Trp Ser Leu Thr Asn	Ala Asn Trp Ser Leu Thr Asn Lys Asn Glu Val		
Lys Asn Glu Val Ser Gly Ala	Ser Gly Ala Phe Thr		
Phe Thr	340	345	
	340	350	
345	350	Pro Phe Glu Leu Gly Lys Ser Asn Ala Thr Ser	
Pro Phe Glu Leu Gly Lys Ser	Leu Asp Pro Gly Pro		
Asn Ala Thr Ser Leu Asp Pro			
Gly Pro			
	355	355	360
360	365	365	
Asp Gln Val Trp Ala Pro Glu Glu	Asp Gln Val Trp Ala Pro Glu Glu Leu Ser Leu		
Leu Ser Leu Ser Gly Glu Tyr Val	Ser Gly Glu Tyr Val		
370	375	370	375
380		380	
Arg Ala Arg Ile Lys Gly Ala Lys	Arg Ala Arg Ile Lys Gly Ala Lys Tyr Glu Pro Ile		
Tyr Glu Pro Ile Asp Arg Thr Arg	Asp Arg Thr Arg		
385	390	385	390
395	400	395	400
Tyr Thr Lys Val Leu Trp Asp	Tyr Thr Lys Val Leu Trp Asp Phe Asn Asp Gly		
Phe Asn Asp Gly Thr Lys Gln	Thr Lys Gln Gly Phe		
Gly Phe	405	410	
	405	415	
410	415	Gly Val Asn Ser Asp Ser Pro Asn Lys Glu Ala Ile	
Gly Val Asn Ser Asp Ser Pro	Glu Val Glu Asn		
Asn Lys Glu Ala Ile Glu Val Glu			
Asn			
	420	420	425
425	430	430	




Glu Asn Gly Thr Leu Arg Ile Ser	Glu Asn Gly Thr Leu Arg Ile Ser Gly Leu Asn Val
Gly Leu Asn Val Ser Asn Asp	Ser Asn Asp Leu
Leu	435 440
435	445
440	445 Ser Asp Gly Asn Phe Trp Ala Asn Val Arg Leu
Ser Asp Gly Asn Phe Trp Ala	Ser Ala Asn Gly Trp
Asn Val Arg Leu Ser Ala Asn	
Gly Trp	
450	455 450 455
460	460
Gly Lys Ser Val Asp Ile Leu Ser	Gly Lys Ser Val Asp Ile Leu Ser Ala Glu Lys Leu
Ala Glu Lys Leu Thr Met Asp	Thr Met Asp Gly
Gly	465 470
465	470 475 480
475	480 Ile Val Asp Glu Pro Thr Thr Val Ala Ile Ala Ala Ile
Ile Val Asp Glu Pro Thr Thr Val	Pro Gln Ser
Ala Ile Ala Ala Ile Pro Gln Ser	
485	485 490
490	495
Thr Lys His Gly Trp Ala Asn Pro	Thr Lys His Gly Trp Ala Asn Pro Glu Arg Ser Val
Glu Arg Ser Val Lys Val Thr Glu	Lys Val Thr Glu
500	500 505
505	510
Ala Asp Phe Val Lys Gln Asp	Ala Asp Phe Val Lys Gln Asp Asp Gly Lys Tyr
Asp Gly Lys Tyr Lys Ala Leu	Lys Ala Leu Leu Thr
Leu Thr	
515	515 520
520	525
Ile Thr Gly Asp Asp Ala Pro Asn	Ile Thr Gly Asp Asp Ala Pro Asn Leu Lys Asn Ile
Leu Lys Asn Ile Gly Phe Asp	Gly Phe Asp Asp
Asp	530 535
530	535 540
540	540 Glu Asn Asn Asn Met Asn Asn Ile Ile Leu Phe



Glu Asn Asn Asn Met Asn Asn Val Gly Thr Glu Ala  
 Ile Ile Leu Phe Val Gly Thr Glu  
 Ala

545	550	545	550
555	560	555	560
Ala Asp Val Ile Tyr Leu Asp Asn	Ala Asp Val Ile Tyr Leu Asp Asn Ile Lys Val Thr		
Ile Lys Val Thr Gly Lys Ile Val	Gly Lys Ile Val		
	565	565	570
570	575	575	
Glu Ile Pro Val Val His Ser Pro	Glu Ile Pro Val Val His Ser Pro Lys Gly Asp Ala		
Lys Gly Asp Ala Ala Leu Pro	Ala Leu Pro Ser		
Ser			
	580	580	585
585	590	590	
Asn Phe Glu Asp Gly Thr Arg	Asn Phe Glu Asp Gly Thr Arg Gln Gly Trp Asp		
Gln Gly Trp Asp Trp Ala Gly Glu	Trp Ala Gly Glu Ser		
Ser		595	600
	595	605	
600	605	Gly Val Lys Thr Ala Leu Thr Ile Glu Glu Ala Asn	
Gly Val Lys Thr Ala Leu Thr Ile	Gly Ser Gln Ala		
Glu Glu Ala Asn Gly Ser Gln Ala			
	610	610	615
610		620	
Leu Ser Trp Glu Phe Gly Tyr	Leu Ser Trp Glu Phe Gly Tyr Pro Glu Val Lys		
Pro Glu Val Lys Pro Ser Asp	Pro Ser Asp Asn Trp		
Asn Trp		625	630
625	630	635	640
635	640	Ala Ser Ala Pro Arg Leu Asp Phe His Lys Asp	
Ala Ser Ala Pro Arg Leu Asp	Asn Leu Val Arg Gly		
Phe His Lys Asp Asn Leu Val			
Arg Gly			
	645	645	650





650	655	655	
Glu Asn Asp Tyr Val Ala Phe	Glu Asn Asp Tyr Val Ala Phe Asp Phe Tyr Ile		
Asp Phe Tyr Ile Asp Pro Ala Arg	Asp Pro Ala Arg Ala		
Ala	660	665	
	670		
665	670	Thr Glu Gly Ala Met Asn Ile Asn Leu Val Phe	
Thr Glu Gly Ala Met Asn Ile Asn	Gln Pro Pro Ala Asn		
Leu Val Phe Gln Pro Pro Ala			
Asn			
	675	675	680
680	685	685	
Gly Tyr Trp Val Gln Ala Pro Lys	Gly Tyr Trp Val Gln Ala Pro Lys Thr Phe Thr Ile		
Thr Phe Thr Ile Asn Phe Glu	Asn Phe Glu Glu		
Glu	690	695	
690	695	700	
700		Leu Glu Glu Ala Asn Gln Val Asn Gly Leu Tyr	
Leu Glu Glu Ala Asn Gln Val	His Tyr Glu Val Lys		
Asn Gly Leu Tyr His Tyr Glu Val			
Lys			
705	710	705	710
715	720	715	720
Ile Asn Val Arg Asp Ile Ala Asn	Ile Asn Val Arg Asp Ile Ala Asn Ile Gln Asp Asp		
Ile Gln Asp Asp Thr Val Leu Arg	Thr Val Leu Arg		
	725	725	730
730	735	735	
Asn Met Ile Leu Ile Phe Ala Asp	Asn Met Ile Leu Ile Phe Ala Asp Val Gln Ser Asp		
Val Gln Ser Asp Phe Ala Gly	Phe Ala Gly Arg		
Arg			
	740	740	745
745	750	750	
Val Phe Val Asp Asn Val Arg	Val Phe Val Asp Asn Val Arg Phe Glu Ala Ser		
Phe Glu Ala Ser Ala Thr Glu	Ala Thr Glu Pro Val		
Pro Val	755	760	



755	765	765
760	765	Glu Pro Val Glu Pro Val Asp Pro Ala Pro Val Glu
Glu Pro Val Glu Pro Val Asp Pro	Pro Glu Pro Val	
Ala Pro Val Glu Pro Glu Pro Val		

770	775	770	775
780		780	
Asp Pro Gly Glu Glu Thr Pro	Asp Pro Gly Glu Glu Thr Pro Pro Val Asp Glu		
Pro Val Asp Glu Lys Glu Ala Ala	Lys Glu Ala Ala Lys		
Lys	785		790
785	790	795	800
795	800	Glu Glu Arg Glu Ala Ala Lys Ala Glu Arg Glu Ala	
Glu Glu Arg Glu Ala Ala Lys Ala	Ala Arg Glu Ala		
Glu Arg Glu Ala Ala Arg Glu Ala			

805	805	810
810	815	815
Ala Lys Glu Glu Arg Glu Glu Ala	Ala Lys Glu Glu Arg Glu Glu Ala Arg Glu Ala Ala	
Arg Glu Ala Ala Lys Glu Glu Arg	Lys Glu Glu Arg	
820	820	825
825	830	830
Glu Ala Ala Lys Ala Glu Arg Glu	Glu Ala Ala Lys Ala Glu Arg Glu Ala Ala Arg Glu	
Ala Ala Arg Glu Ala Ala Lys Ala	Ala Ala Lys Ala	

835	835	840
840	845	845
Glu Arg Glu Ala Lys Lys Glu Ala	Glu Arg Glu Ala Lys Lys Glu Ala Lys Lys Lys	
Lys Lys Lys	850	855
850	855	

【 0 0 3 3 】	[0033]
<210> 2	<210> 2
<211> 813	<211> 813
<212> PRT	<212> PRT

<213> Bacillus sp.

&lt;213&gt; Bacillus sp.



<400> 2	<400> 2
Met Leu Leu His Gln Leu Leu	Met Leu Leu His Gln Leu Leu Ile Phe Glu
Ile Phe Glu Gly(Trp)Ser Gln Lys	Gly(Trp)Ser Gln Lys Val
Val	5 10 15
5	
10 15	
Leu Ala Ala Glu Gly Asn Thr Arg	Leu Ala Ala Glu Gly Asn Thr Arg Glu Asp Asn
Glu Asp Asn Phe Lys His Leu	Phe Lys His Leu Leu
Leu	20 25
20	30
25 30	Gly Asn Asp Asn Val Lys Arg Pro Ser Glu Ala
Gly Asn Asp Asn Val Lys Arg	Gly Ala Leu Gln Leu
Pro Ser Glu Ala Gly Ala Leu Gln	35 40
Leu	45
35	
40 45	
Gln Glu Val Asp Gly Gln Met	Gln Glu Val Asp Gly Gln Met Thr Leu Val Asp
Thr Leu Val Asp Gln His Gly Glu	Gln His Gly Glu Lys
Lys	50 55
50 55	60
60	Ile Gln Leu Arg Gly Met Ser Thr His Gly Leu Gln
Ile Gln Leu Arg Gly Met Ser Thr	Trp Phe Pro Glu
His Gly Leu Gln Trp Phe Pro	65 70
Glu	75 80
65 70	
75 80	
Ile Leu Asn Asp Asn Ala Tyr Lys	Ile Leu Asn Asp Asn Ala Tyr Lys Ala Leu Ser
Ala Leu Ser Asn Asp Trp Asp	Asn Asp Trp Asp Ser
Ser	85 90
85	95
90 95	Asn Met Ile Arg Leu Ala Met Tyr Val Gly Glu Asn
Asn Met Ile Arg Leu Ala Met Tyr	Gly His Ala Thr
Val Gly Glu Asn Gly His Ala Thr	100 105



	100		110	
105		110		
Asn Pro Glu Leu Ile Lys Gln Arg		Asn Pro Glu Leu Ile Lys Gln Arg Val Ile Asp Gly		
Val Ile Asp Gly Ile Glu Leu Ala		Ile Glu Leu Ala		
	115		115	120
120		125	125	
Ile Glu Asn Asp Met Tyr Val Ile		Ile Glu Asn Asp Met Tyr Val Ile Val Asp Trp His		
Val Asp Trp His Val His Ala Pro		Val His Ala Pro		
	130	135	130	135
140			140	
Gly Asp Pro Arg Asp Pro Val Tyr		Gly Asp Pro Arg Asp Pro Val Tyr Ala Gly Ala Lys		
Ala Gly Ala Lys Asp Phe Phe		Asp Phe Phe Arg		
Arg			145	150
145		150	155	160
155		160	Glu Ile Ala Ala Leu Tyr Pro Asn Asn Pro His Ile	
Glu Ile Ala Ala Leu Tyr Pro Asn		Ile Tyr Glu Leu		
Asn Pro His Ile Ile Tyr Glu Leu			165	170
	165		175	
170		175		
Ala Asn Glu Pro Ser Ser Asn		Ala Asn Glu Pro Ser Ser Asn Asn Asn Gly Gly		
Asn Asn Gly Gly Ala Gly Ile Pro		Ala Gly Ile Pro Asn		
Asn			180	185
	180		190	
185		190	Asn Glu Glu Gly Trp Lys Ala Val Lys Glu Tyr Ala	
Asn Glu Glu Gly Trp Lys Ala Val		Asp Pro Ile Val		
Lys Glu Tyr Ala Asp Pro Ile Val			195	200
	195		205	
200		205		
Gln Met Leu Arg Lys Ser Gly		Gln Met Leu Arg Lys Ser Gly Asn Ala Asp Asp		
Asn Ala Asp Asp Asn Ile Ile Ile		Asn Ile Ile Ile Val		
Val			210	215
	210	215	220	



220		Gly Ser Pro Asn Trp Ser Gln Arg Pro Asp Leu	
	Gly Ser Pro Asn Trp Ser Gln	Ala Ala Asp Asn Pro	
	Arg Pro Asp Leu Ala Ala Asp	225	230
	Asn Pro	235	240
225			230
235			240

Ile Asp Asp His His Thr Met Tyr	Ile Asp Asp His His Thr Met Tyr Thr Val His Phe
Thr Val His Phe Tyr Thr Gly Ser	Tyr Thr Gly Ser
	245
250	255
His Ala Ala Ser Thr Glu Ser Tyr	His Ala Ala Ser Thr Glu Ser Tyr Pro Pro Glu Thr
Pro Pro Glu Thr Pro Asn Ser	Pro Asn Ser Glu
Glu	260
	260
265	270

Arg Gly Asn Val Met Ser Asn	Arg Gly Asn Val Met Ser Asn Thr Arg Tyr Ala
Thr Arg Tyr Ala Leu Glu Asn Gly	Leu Glu Asn Gly Val
Val	275
	275
280	285
Ala Val Phe Ala Thr Glu Trp Gly	Ala Val Phe Ala Thr Glu Trp Gly Thr Ser Gln Ala
Thr Ser Gln Ala Asn Gly Asp	Asn Gly Asp Gly
Gly	290
	300
290	295
300	

Gly Pro Tyr Phe Asp Glu Ala	Gly Pro Tyr Phe Asp Glu Ala Asp Val Trp Ile Glu
Asp Val Trp Ile Glu Phe Leu	Phe Leu Asn Glu
Asn Glu	305
305	310
315	320
Asn Asn Ile Ser Trp Ala Asn Trp	Asn Asn Ile Ser Trp Ala Asn Trp Ser Leu Thr
Asn Asn Ile Ser Trp Ala Asn Trp	Asn Lys Asn Glu Val
Ser Leu Thr Asn Lys Asn Glu	325
Val	335
	330



325  
 330 335  
 Ser Gly Ala Phe Thr Pro Phe Ser Gly Ala Phe Thr Pro Phe Glu Leu Gly Lys  
 Glu Leu Gly Lys Ser Asn Ala Ser Asn Ala Thr Ser  
 Thr Ser 340 345  
 340 350  
 345 350 Leu Asp Pro Gly Pro Asp Gln Val Trp Val Pro  
 Leu Asp Pro Gly Pro Asp Gln Glu Glu Leu Ser Leu  
 Val Trp Val Pro Glu Glu Leu Ser 355 360  
 Leu 365  
 355  
 360 365  
 Ser Gly Glu Tyr Val Arg Ala Arg Ser Gly Glu Tyr Val Arg Ala Arg Ile Lys Gly Val  
 Ile Lys Gly Val Asn Tyr Glu Pro Asn Tyr Glu Pro  
 370 375 370 375  
 380 380  
 Ile Asp Arg Thr Lys Tyr Thr Lys Ile Asp Arg Thr Lys Tyr Thr Lys Val Leu Trp Asp  
 Val Leu Trp Asp Phe Asn Asp Phe Asn Asp Gly  
 Gly 385 390  
 385 390 395 400  
 395 400  
 Thr Lys Gln Gly Phe Gly Val Thr Lys Gln Gly Phe Gly Val Asn Ser Asp Ser  
 Asn Ser Asp Ser Pro Asn Lys Pro Asn Lys Glu Leu  
 Glu Leu 405 410  
 405 415  
 410 415 Ile Ala Val Asp Asn Glu Asn Asn Thr Leu Lys Val  
 Ile Ala Val Asp Asn Glu Asn Asn Ser Gly Leu Asp  
 Thr Leu Lys Val Ser Gly Leu 420 425  
 Asp 430  
 420  
 425 430  
 Val Ser Asn Asp Val Ser Asp Val Ser Asn Asp Val Ser Asp Gly Asn Phe Trp



Gly Asn Phe Trp Ala Asn Ala	Ala Asn Ala Arg Leu	
Arg Leu	435	440
435	445	
440	445	Ser Ala Asn Gly Trp Gly Lys Ser Val Asp Ile Leu
Ser Ala Asn Gly Trp Gly Lys Ser	Gly Ala Glu Lys	
Val Asp Ile Leu Gly Ala Glu Lys	450	455
450	455	460
460		

Leu Thr Met Asp Val Ile Val Asp	Leu Thr Met Asp Val Ile Val Asp Glu Pro Thr Thr	
Glu Pro Thr Thr Val Ala Ile Ala	Val Ala Ile Ala	
465	470	465
475	480	475
480	480	
Ala Ile Pro Gln Ser Ser Lys Ser	Ala Ile Pro Gln Ser Ser Lys Ser Gly Trp Ala Asn	
Gly Trp Ala Asn Pro Glu Arg Ala	Pro Glu Arg Ala	
485	485	490
490	495	495

Val Arg Val Asn Ala Glu Asp	Val Arg Val Asn Ala Glu Asp Phe Val Gln Gln	
Phe Val Gln Gln Thr Asp Gly	Thr Asp Gly Lys Tyr	
Lys Tyr	500	505
500	510	
505	510	Lys Ala Gly Leu Thr Ile Thr Gly Glu Asp Ala Pro
Lys Ala Gly Leu Thr Ile Thr Gly	Ser Leu Glu Ala	
Glu Asp Ala Pro Ser Leu Glu	515	520
Ala	525	
515		
520	525	

Ile Ala Met His Ala Glu Asn Tyr	Ile Ala Met His Ala Glu Asn Tyr Thr Ile Asn Asn	
Thr Ile Asn Asn Ile Ile Leu Phe	Ile Ile Leu Phe	
530	535	530
540	540	
Val Gly Thr Glu Gly Ala Asp Val	Val Gly Thr Glu Gly Ala Asp Val Ile Tyr Leu Asp	
Ile Tyr Leu Asp Thr Ile Lys Val	Thr Ile Lys Val	
545	550	545
		550



555	560	555	560
Ile Gly Pro Glu Val Glu Ile Pro	Ile Gly Pro Glu Val Glu Ile Pro Val Val His Asp		
Val Val His Asp Pro Lys Gly Glu	Pro Lys Gly Glu		
565	565		570
570	575	575	
Ala Val Leu Pro Ser Val Phe Glu	Ala Val Leu Pro Ser Val Phe Glu Asp Gly Thr		
Asp Gly Thr Arg Gln Gly Trp	Arg Gln Gly Trp Asp		
Asp	580		585
580	590		
585	590		
Trp Ala Gly Glu Ser Gly Val Lys	Trp Ala Gly Glu Ser Gly Val Lys Thr Ala Leu Thr		
Thr Ala Leu Thr Ile Glu Glu Ala	Ile Glu Glu Ala		
595	595		600
600	605	605	
Asn Gly Ser Asn Ala Leu Ser	Asn Gly Ser Asn Ala Leu Ser Trp Glu Phe Gly		
Trp Glu Phe Gly Tyr Pro Glu Val	Tyr Pro Glu Val Lys		
Lys	610		615
610	615	620	
620			
Pro Ser Asp Asn Trp Ala Thr Ala	Pro Ser Asp Asn Trp Ala Thr Ala Pro Arg Leu		
Pro Arg Leu Asp Phe Trp Lys	Asp Phe Trp Lys Ser		
Ser	625		630
625	630	635	640
635	640	Asp Leu Val Arg Gly Glu Asn Asp Tyr Val Thr	
Asp Leu Val Arg Gly Glu Asn	Phe Asp Phe Tyr Leu		
Asp Tyr Val Thr Phe Asp Phe	645		650
Tyr Leu	655		
645			
650	655		
Asp Pro Val Arg Ala Thr Glu Gly	Asp Pro Val Arg Ala Thr Glu Gly Ala Met Asn Ile		
Ala Met Asn Ile Asn Leu Val	Asn Leu Val Phe		
Phe	660		665





660	670	
665	670	Gln Pro Pro Thr Asn Gly Tyr Trp Val Gln Ala Pro
Gln Pro Pro Thr Asn Gly Tyr Trp	Lys Thr Tyr Thr	
Val Gln Ala Pro Lys Thr Tyr Thr	675	680
675	685	
680	685	
Ile Asn Phe Asp Glu Leu Glu	Ile Asn Phe Asp Glu Leu Glu Glu Ala Asn Gln	
Glu Ala Asn Gln Val Asn Gly	Val Asn Gly Leu Tyr	
Leu Tyr	690	695
690	695	700
700	His Tyr Glu Val Lys Ile Asn Val Arg Asp Ile Thr	
His Tyr Glu Val Lys Ile Asn Val	Asn Ile Gln Asp	
Arg Asp Ile Thr Asn Ile Gln Asp	705	710
705	710	715
715	720	720
Asp Thr Leu Leu Arg Asn Met	Asp Thr Leu Leu Arg Asn Met Met Ile Ile Phe	
Met Ile Ile Phe Ala Asp Val Glu	Ala Asp Val Glu Ser	
Ser	725	730
725	735	
730	735	Asp Phe Ala Gly Arg Val Phe Val Asp Asn Val
Asp Phe Ala Gly Arg Val Phe	Arg Phe Glu Gly Ala	
Val Asp Asn Val Arg Phe Glu	740	745
Gly Ala	750	
740		
745	750	
Ala Thr Thr Glu Pro Val Glu Pro	Ala Thr Thr Glu Pro Val Glu Pro Glu Pro Val Asp	
Glu Pro Val Asp Pro Gly Glu	Pro Gly Glu Glu	
Glu	755	760
755	765	
760	765	Thr Pro Pro Val Asp Glu Lys Glu Ala Lys Lys Glu
Thr Pro Pro Val Asp Glu Lys	Gln Lys Glu Ala	
Glu Ala Lys Lys Glu Gln Lys Glu	770	775
Ala	780	



770	775	
780		
Glu Lys Glu Glu Lys Glu Ala Val	Glu Lys Glu Glu Lys Glu Ala Val	Lys Glu Glu Lys
Lys Glu Glu Lys Lys Glu Ala Lys	Lys Glu Ala Lys	
785	790	785
		790
795	800	795
		800
Glu Glu Lys Lys Ala Ile Lys Asn	Glu Glu Lys Lys Ala Ile Lys Asn	Glu Ala Thr Lys
Glu Ala Thr Lys Lys	Lys	
	805	805
		810
810		

【 0 0 3 4 】

<210> 3  
 <211> 3299  
 <212> DNA

[0034]

<210> 3  
 <211> 3299  
 <212> DNA

<213> Bacillus sp.

&lt;400&gt; 3

attaaaacga ggtctgagtt ttttaataca  
 gacgatagca tgaaacgcaa  
 ctgaatacaa 60  
 aaagtatgag gaatttgaac  
 tacagaagat ctcttttat aattattaat  
 acccggaacg 120

&lt;213&gt; Bacillus sp.

&lt;400&gt; 3

Attaaaaacga ggtctgagtt ttttaataca gacgatagca  
 tgaaacgcaa ctgaatacaa 60  
 Aaagtatgag gaatttgaac tacagaagat ctcttttat  
 aattattaat acccggaacg 120

aaaatactat	ttcgaaagcg	Aaaatactat	ttcgaaagcg	gtttacacaa	aaaaccttat
gtttacacaa	aaaaccttat	gttatggcgt	tttagataa	180	
gttatggcgt	tttagataa	180	Ttgaagaaa	aaaacaactc	tagtaatcta
ttgaagaaa	aaaacaactc	gctataatga	gtttgtagc	240	
tagtaatcta	aattgaacat	Agcaatatcg	gtgtattta	cttactaata	atgtaagcgt
gctataatga	gtttgtagc	240	ttaacctaag	agtagacgct	300
agcaatatcg	gtgtattta	cttactaata	Tatatccgaa	ggaggtagat	tgagtcaagt
atgtaagcgt	ttaacctaag	atgatgcagt	gtacgagctt	360	
agtagacgct	300				
tatatccgaa	ggaggtagat				



tgagtcaagt            aggaataatg  
atgatgcagt gtacgagctt    360

taaagaatca            ggagagcact    Taaagaatca ggagagcact tcgggttact cccgtatttt  
tcgggttact cccgtatttt ttggaatgt    ttggaatgt ttcgaaagc    420  
tttcgaaagc    420            Actttcggtta    ttttagttat    ttgactcaat    taagancgat  
actttcggtta    ttttagttat    ttgactcaat    aattaggagg taat atg    477  
taagancgat aattaggagg taat atg    Met  
477            Atg tta aga aag aaa aca aag cag ttg att tct tcc  
act ctt att tta            525

Met  
atg tta aga aag aaa aca aag  
cag ttg att tct tcc act ctt att tta  
525

Met Leu Arg Lys Lys Thr Lys    Met Leu Arg Lys Lys Thr Lys Gln Leu Ile Ser Ser  
Gln Leu Ile Ser Ser Thr Leu Ile    Thr Leu Ile Leu  
Leu            5            10            15  
Gtt tta ctt cta tct tta ttt cca aca gct ctt gca gca  
10            15            gaa gga aat    573  
ggt tta ctt cta tct tta ttt cca aca    Val Leu Leu Leu Ser Leu Phe Pro Thr Ala Leu  
gct ctt gca gca gaa gga aat    Ala Ala Glu Gly Asn  
573  
Val Leu Leu Leu Ser Leu Phe  
Pro Thr Ala Leu Ala Ala Glu Gly  
Asn

20            20            25  
25            30            30  
acg cgc gaa gac aat ttt gat cat    Acg cgc gaa gac aat ttt gat cat tta tta ggt aat  
tta tta ggt aat gaa aat gtt aaa    gaa aat gtt aaa    621  
621            Thr Arg Glu Asp Asn Phe Asp His Leu Leu Gly  
Thr Arg Glu Asp Asn Phe Asp    Asn Glu Asn Val Lys  
His Leu Leu Gly Asn Glu Asn    35            40  
Val Lys            45  
35            40




45

cgc cct tca gag gcc ggt gcg tta	Cgc cct tca gag gcc ggt gcg tta caa cta aaa gaa	
caa cta aaa gaa gtt gat gga caa	gtt gat gga caa	669
669	Arg Pro Ser Glu Ala Gly Ala Leu Gln Leu Lys	
Arg Pro Ser Glu Ala Gly Ala Leu	Glu Val Asp Gly Gln	
Gln Leu Lys Glu Val Asp Gly	50	55
Gln	60	65
50	55	Atg aca ttg gta gat caa cat gga gaa aag att caa
60	65	tta cgc ggg atg
		717
atg aca ttg gta gat caa cat gga		
gaa aag att caa tta cgc ggg atg		
717		

Met Thr Leu Val Asp Gln His	Met Thr Leu Val Asp Gln His Gly Glu Lys Ile Gln	
Gly Glu Lys Ile Gln Leu Arg Gly	Leu Arg Gly Met	
Met	70	75
	70	80
75	80	Agt act cat gga tta caa tgg ttt cct gag atc tta aat
agt act cat gga tta caa tgg ttt cct	gat aac gca	765
gag atc tta aat gat aac gca	Ser Thr His Gly Leu Gln Trp Phe Pro Glu Ile Leu	
765	Asn Asp Asn Ala	
Ser Thr His Gly Leu Gln Trp		
Phe Pro Glu Ile Leu Asn Asp		
Asn Ala		

	85	85	90
90	95	95	
tac aaa gct ctt tct aac gat tgg	Tac aaa gct ctt tct aac gat tgg gat tcc aat atg att		
gat tcc aat atg att cgt ctt gct	cgt ctt gct	813	
813	Tyr Lys Ala Leu Ser Asn Asp Trp Asp Ser Asn		
Tyr Lys Ala Leu Ser Asn Asp	Met Ile Arg Leu Ala		
Trp Asp Ser Asn Met Ile Arg	100		105
Leu Ala	110		
100			
105	110		



atg tat gta ggt gaa aat ggg tac	Atg tat gta ggt gaa aat ggg tac gct acc aat cct
gct acc aat cct gag tta atc aaa	gag tta atc aaa 861
861	Met Tyr Val Gly Glu Asn Gly Tyr Ala Thr Asn Pro
Met Tyr Val Gly Glu Asn Gly Tyr	Glu Leu Ile Lys
Ala Thr Asn Pro Glu Leu Ile Lys	115 120
115 120	125
125	Caa aga gtg att gat gga att gag tta gcg att gaa
caa aga gtg att gat gga att gag	aat gac atg tat 909
tta gcg att gaa aat gac atg tat	
909	

Gln Arg Val Ile Asp Gly Ile Glu	Gln Arg Val Ile Asp Gly Ile Glu Leu Ala Ile Glu
Leu Ala Ile Glu Asn Asp Met Tyr	Asn Asp Met Tyr
130 135	130 135
140 145	140 145
gtt att gtt gac tgg cat gtt cat gcg	Gtt att gtt gac tgg cat gtt cat gcg cca ggt gat cct
cca ggt gat cct agg gat cct	agg gat cct 957
957	Val Ile Val Asp Trp His Val His Ala Pro Gly Asp
Val Ile Val Asp Trp His Val His	Pro Arg Asp Pro
Ala Pro Gly Asp Pro Arg Asp	
Pro	

150 155	150 155
160 165	160 165
gtt tat gca ggt gct gaa gat ttc ttt	Gtt tat gca ggt gct gaa gat ttc ttt aga gat att gca
aga gat att gca gca ttg tat	gca ttg tat 1005
1005	Val Tyr Ala Gly Ala Glu Asp Phe Phe Arg Asp Ile
Val Tyr Ala Gly Ala Glu Asp Phe	Ala Ala Leu Tyr
Phe Arg Asp Ile Ala Ala Leu Tyr	165 170
165 170	175
175	


cct aat aat cga cac att att tat	Cct aat aat cga cac att att tat gag tta gcg aat
gag tta gcg aat gag ccg agt agt	gag ccg agt agt 1053
1053	Pro Asn Asn Arg His Ile Ile Tyr Glu Leu Ala Asn



Pro Asn Asn Arg His Ile Ile Tyr	Glu Pro Ser Ser	
Glu Leu Ala Asn Glu Pro Ser	180	185
Ser	190	
180	Aat aat aat ggt gga gca ggg att ccg aat aac gaa	
185	190	1101
aat aat aat ggt gga gca ggg att		
ccg aat aac gaa gaa ggt tgg		
aaa 1101		
Asn Asn Asn Gly Gly Ala Gly Ile	Asn Asn Asn Gly Gly Ala Gly Ile Pro Asn Asn	
Pro Asn Asn Glu Glu Gly Trp	Glu Glu Gly Trp Lys	
Lys	195	200
195	200	205
205	Gcg gta aaa gaa tat gct gat cca att gta gaa atg	
gcg gta aaa gaa tat gct gat cca	tta cgc gat agt 1149	
att gta gaa atg tta cgc gat agt	Ala Val Lys Glu Tyr Ala Asp Pro Ile Val Glu Met	
1149	Leu Arg Asp Ser	
Ala Val Lys Glu Tyr Ala Asp Pro		
Ile Val Glu Met Leu Arg Asp Ser		
210	215	215
220	225	225
ggg aac gca gat gac aac atc atc	Ggg aac gca gat gac aac atc atc att gtg ggt agt	
att gtg ggt agt cca aac tgg agt	cca aac tgg agt 1197	
1197	Gly Asn Ala Asp Asp Asn Ile Ile Ile Val Gly Ser	
Gly Asn Ala Asp Asp Asn Ile Ile	Pro Asn Trp Ser	
Ile Val Gly Ser Pro Asn Trp Ser	230	235
230	240	
235	240	
cag cgt ccg gac tta gca gct gat	Cag cgt ccg gac tta gca gct gat aat cca att aat	
aat cca att aat gat cac cat acg	gat cac cat acg 1245	
1245	Gln Arg Pro Asp Leu Ala Ala Asp Asn Pro Ile	
Gln Arg Pro Asp Leu Ala Ala	Asn Asp His His Thr	
Asp Asn Pro Ile Asn Asp His	245	250
His Thr	255	



245	Atg tat act gtt cac ttc tac tct ggt tca cat gct gct
250	tca act gag 1293
255	
atg tat act gtt cac ttc tac tct ggt	
tca cat gct gct tca act gag	
1293	
Met Tyr Thr Val His Phe Tyr Ser	Met Tyr Thr Val His Phe Tyr Ser Gly Ser His Ala
Gly Ser His Ala Ala Ser Thr Glu	Ala Ser Thr Glu
260	260
265	265
270	270
agc tat ccg cct gaa act cct aac	Agc tat ccg cct gaa act cct aac tct gaa aga gga
tct gaa aga gga aac gta atg agt	aac gta atg agt 1341
1341	Ser Tyr Pro Pro Glu Thr Pro Asn Ser Glu Arg
Ser Tyr Pro Pro Glu Thr Pro	Gly Asn Val Met Ser
Asn Ser Glu Arg Gly Asn Val	
Met Ser	
275	275
280	280
285	285
aac act cgt tat gcg tta gaa aac	Aac act cgt tat gcg tta gaa aac gga gta gcg gta
gga gta gcg gta ttt gcg aca gag	ttt gcg aca gag 1389
1389	Asn Thr Arg Tyr Ala Leu Glu Asn Gly Val Ala Val
Asn Thr Arg Tyr Ala Leu Glu	Phe Ala Thr Glu
Asn Gly Val Ala Val Phe Ala Thr	290
Glu	300
290	305
300	295
305	
tgg gga aca agt caa gca aat	Tgg gga aca agt caa gca aat gga gat ggt ggt cct
gga gat ggt ggt cct tat ttt gat	tat ttt gat gaa 1437
gaa 1437	Trp Gly Thr Ser Gln Ala Asn Gly Asp Gly Gly
Trp Gly Thr Ser Gln Ala Asn Gly	Pro Tyr Phe Asp Glu
Asp Gly Gly Pro Tyr Phe Asp	310
Glu	320
310	Gcg gat gta tgg att gag ttt tta aat gaa aac aac att
315	agt tgg gct 1485
320	



gcg gat gta tgg att gag ttt tta aat  
gaa aac aac att agt tgg gct  
1485

Ala Asp Val Trp Ile Glu Phe Leu	Ala Asp Val Trp Ile Glu Phe Leu Asn Glu Asn
Asn Glu Asn Asn Ile Ser Trp Ala	Asn Ile Ser Trp Ala
325	330
330	335
aac tgg tct tta acg aat aaa aat	Aac tgg tct tta acg aat aaa aat gaa gtg tct ggt
gaa gtg tct ggt gca ttt aca cca	gca ttt aca cca 1533
1533	Asn Trp Ser Leu Thr Asn Lys Asn Glu Val Ser
Asn Trp Ser Leu Thr Asn Lys	Gly Ala Phe Thr Pro
Asn Glu Val Ser Gly Ala Phe	
Thr Pro	

340	340	345
345	350	350
ttt gaa tta gga aaa tca aat gca	Ttt gaa tta gga aaa tca aat gca aca agt ctt gac	
aca agt ctt gac cca ggt cca gac	cca ggt cca gac 1581	
1581	Phe Glu Leu Gly Lys Ser Asn Ala Thr Ser Leu	
Phe Glu Leu Gly Lys Ser Asn	Asp Pro Gly Pro Asp	
Ala Thr Ser Leu Asp Pro Gly	355	360
Pro Asp	365	
355	360	
365		

cag gta tgg gca cca gaa gag tta	Cag gta tgg gca cca gaa gag tta agt ctt tct gga
agt ctt tct gga gaa tat gta cgt	gaa tat gta cgt 1629
1629	Gln Val Trp Ala Pro Glu Glu Leu Ser Leu Ser
Gln Val Trp Ala Pro Glu Glu Leu	Gly Glu Tyr Val Arg
Ser Leu Ser Gly Glu Tyr Val Arg	370
370	375
380	385
gct cgt att aaa ggt gcg aaa tat	Gct cgt att aaa ggt gcg aaa tat gag ccg att gac
gag ccg att gac cgt act aga tat	cgt act aga tat 1677
1677	





Ala Arg Ile Lys Gly Ala Lys Tyr	Ala Arg Ile Lys Gly Ala Lys Tyr Glu Pro Ile Asp
Glu Pro Ile Asp Arg Thr Arg Tyr	Arg Thr Arg Tyr
390	390 395
395 400	400
aca aaa gtt cta tgg gat ttt aat	Aca aaa gtt cta tgg gat ttt aat gat gga acc aag
gat gga acc aag caa ggg ttt gga	caa ggg ttt gga 1725
1725	Thr Lys Val Leu Trp Asp Phe Asn Asp Gly Thr
Thr Lys Val Leu Trp Asp Phe	Lys Gln Gly Phe Gly
Asn Asp Gly Thr Lys Gln Gly	
Phe Gly	
405	405 410
410 415	415
gtg aac tca gat tct ccg aat aaa	Gtg aac tca gat tct ccg aat aaa gag gct att gag
gag gct att gag gtt gag aat gaa	gtt gag aat gaa 1773
1773	Val Asn Ser Asp Ser Pro Asn Lys Glu Ala Ile Glu
Val Asn Ser Asp Ser Pro Asn	Val Glu Asn Glu
Lys Glu Ala Ile Glu Val Glu Asn	420 425
Glu	430
420	
425 430	
aat ggc act ttg aga atc tca ggt	Aat ggc act ttg aga atc tca ggt tta aat gta agt aat
tta aat gta agt aat gat ctt tct	gat ctt tct 1821
1821	Asn Gly Thr Leu Arg Ile Ser Gly Leu Asn Val Ser
Asn Gly Thr Leu Arg Ile Ser Gly	Asn Asp Leu Ser
Leu Asn Val Ser Asn Asp Leu	435 440
Ser	445
435 440	Gat ggc aac ttc tgg gct aat gtt cgt ctt tct gcc aat
445	ggt tgg ggg 1869
gat ggc aac ttc tgg gct aat gtt	
cgt ctt tct gcc aat ggt tgg ggg	
1869	
Asp Gly Asn Phe Trp Ala Asn	Asp Gly Asn Phe Trp Ala Asn Val Arg Leu Ser



Val Arg Leu Ser Ala Asn Gly Trp	Ala Asn Gly Trp Gly	
Gly	450	455
450	455	460
460	465	465
Aag agt gtc gat att tta agt gct gaa aaa cta act		
aag agt gtc gat att tta agt gct	atg gat ggt att	1917
gaa aaa cta act atg gat ggt att	Lys Ser Val Asp Ile Leu Ser Ala Glu Lys Leu Thr	
1917	Met Asp Gly Ile	
Lys Ser Val Asp Ile Leu Ser Ala		
Glu Lys Leu Thr Met Asp Gly Ile		
	470	475
475	480	480
gtg gat gaa cca acg aca gta gcg	Gtg gat gaa cca acg aca gta gcg att gct gca att	
att gct gca att cca caa agc aca	cca caa agc aca	1965
1965	Val Asp Glu Pro Thr Thr Val Ala Ile Ala Ala Ile	
Val Asp Glu Pro Thr Thr Val Ala	Pro Gln Ser Thr	
Ile Ala Ala Ile Pro Gln Ser Thr	485	490
485	495	
490	495	
aag cat ggt tgg gca aat cca gaa	Aag cat ggt tgg gca aat cca gaa cgt tcg gta aaa	
cgt tcg gta aaa gtg aca gaa gct	gtg aca gaa gct	2013
2013	Lys His Gly Trp Ala Asn Pro Glu Arg Ser Val Lys	
Lys His Gly Trp Ala Asn Pro Glu	Val Thr Glu Ala	
Arg Ser Val Lys Val Thr Glu Ala	500	505
500	510	
505	510	510
gac ttt gtt aag caa gat gac ggg	Gac ttt gtt aag caa gat gac ggg aaa tat aaa gcc	
aaa tat aaa gcc ctt tta acg att	ctt tta acg att	2061
2061		
Asp Phe Val Lys Gln Asp Asp	Asp Phe Val Lys Gln Asp Asp Gly Lys Tyr Lys	
Gly Lys Tyr Lys Ala Leu Leu Thr	Ala Leu Leu Thr Ile	
Ile	515	520
515	520	525
525	525	
Aca ggg gat gat gct ccg aat cta aag aac att ggt		



aca ggg gat gat gct ccg aat cta ttt gat gat gaa 2109  
 aag aac att ggt ttt gat gat gaa Thr Gly Asp Asp Ala Pro Asn Leu Lys Asn Ile  
 2109 Gly Phe Asp Asp Glu  
 Thr Gly Asp Asp Ala Pro Asn  
 Leu Lys Asn Ile Gly Phe Asp  
 Asp Glu

530 535 530 535  
 540 545 540 545  
 aat aac aac atg aac aac att att Aat aac aac atg aac aac att att ctt ttc gta ggt act  
 ctt ttc gta ggt act gaa gca gct gaa gca gct 2157  
 2157 Asn Asn Asn Met Asn Asn Ile Ile Leu Phe Val  
 Asn Asn Asn Met Asn Asn Ile Ile Gly Thr Glu Ala Ala  
 Leu Phe Val Gly Thr Glu Ala Ala 550 555  
 550 560  
 555 560

gac gtg att tat ctg gat aac att Gac gtg att tat ctg gat aac att aaa gta act ggt  
 aaa gta act ggt aaa att gtt gaa aaa att gtt gaa 2205  
 2205 Asp Val Ile Tyr Leu Asp Asn Ile Lys Val Thr Gly  
 Asp Val Ile Tyr Leu Asp Asn Ile Lys Ile Val Glu  
 Lys Val Thr Gly Lys Ile Val Glu 565 570  
 565 575  
 570 575 Att cca gta gtt cac tct cca aaa ggc gat gct gct ctt  
 att cca gta gtt cac tct cca aaa cct tct aat 2253  
 ggc gat gct gct ctt cct tct aat  
 2253

Ile Pro Val Val His Ser Pro Lys Ile Pro Val Val His Ser Pro Lys Gly Asp Ala Ala  
 Gly Asp Ala Ala Leu Pro Ser Leu Pro Ser Asn  
 Asn 580 585  
 580 590  
 585 590 Ttt gaa gac ggt aca cgt caa ggt tgg gac tgg gct  
 ttt gaa gac ggt aca cgt caa ggt gga gag tct gga 2301  
 tgg gac tgg gct gga gag tct gga Phe Glu Asp Gly Thr Arg Gln Gly Trp Asp Trp  
 2301 Ala Gly Glu Ser Gly



Phe Glu Asp Gly Thr Arg Gln  
Gly Trp Asp Trp Ala Gly Glu Ser  
Gly

595	600	595	600
605		605	
gtc aaa acg gcc tta aca att gaa		Gtc aaa acg gcc tta aca att gaa gaa gca aac	
gaa gca aac ggg tcg caa gct tta		ggg tcg caa gct tta	2349
2349		Val Lys Thr Ala Leu Thr Ile Glu Glu Ala Asn Gly	
Val Lys Thr Ala Leu Thr Ile Glu		Ser Gln Ala Leu	
Glu Ala Asn Gly Ser Gln Ala	610		615
Leu	620	625	
610	615		
620	625		

tca tgg gaa ttt ggg tat cca gaa	Tca tgg gaa ttt ggg tat cca gaa gta aaa cct agt
gta aaa cct agt gat aac tgg gct	gat aac tgg gct
2397	2397
Ser Trp Glu Phe Gly Tyr Pro	Ser Trp Glu Phe Gly Tyr Pro Glu Val Lys Pro Ser
Glu Val Lys Pro Ser Asp Asn	Asp Asn Trp Ala
Trp Ala	630
	640
630	Tct gct cca cgt tta gat ttc cac aaa gat aac cta gtt
635	cgt ggt gaa
	2445
tct gct cca cgt tta gat ttc cac aaa	
gat aac cta gtt cgt ggt gaa	
2445	

Ser Ala Pro Arg Leu Asp Phe	Ser Ala Pro Arg Leu Asp Phe His Lys Asp Asn
His Lys Asp Asn Leu Val Arg	Leu Val Arg Gly Glu
Gly Glu	645
	650
645	655
650	Aat gat tat gta gcg ttt gac ttc tac att gat cca gct
aat gat tat gta gcg ttt gac ttc tac	cgt gca act
att gat cca gct cgt gca act	2493
2493	Asn Asp Tyr Val Ala Phe Asp Phe Tyr Ile Asp
Asn Asp Tyr Val Ala Phe Asp	Pro Ala Arg Ala Thr



Phe Tyr Ile Asp Pro Ala Arg Ala  
Thr

660	660	665
665	670	670
gag gga gcg atg aat att aac tta	Gag gga gcg atg aat att aac tta gta ttc cag cca	
gta ttc cag cca cct gct aat gga	cct gct aat gga 2541	
2541	Glu Gly Ala Met Asn Ile Asn Leu Val Phe Gln	
Glu Gly Ala Met Asn Ile Asn Leu	Pro Pro Ala Asn Gly	
Val Phe Gln Pro Pro Ala Asn	675	680
Gly	685	
675	680	
685		

tac tgg gtc caa gcg cca aaa aca	Tac tgg gtc caa gcg cca aaa aca ttt aca att aac	
ttt aca att aac ttt gaa gag ctt	ttt gaa gag ctt 2589	
2589	Tyr Trp Val Gln Ala Pro Lys Thr Phe Thr Ile Asn	
Tyr Trp Val Gln Ala Pro Lys Thr	Phe Glu Glu Leu	
Phe Thr Ile Asn Phe Glu Glu	690	695
Leu	700	705
690	Gaa gaa gca aat caa gta aat ggg tta tac cat tat	
700	gaa gtg aaa att 2637	
gaa gaa gca aat caa gta aat		
ggg tta tac cat tat gaa gtg aaa		
att 2637		

Glu Glu Ala Asn Gln Val Asn	Glu Glu Ala Asn Gln Val Asn Gly Leu Tyr His Tyr	
Gly Leu Tyr His Tyr Glu Val Lys	Glu Val Lys Ile	
Ile	710	715
710	720	
715	Aac gta aga gac att gcc aac att caa gat gat acg	
aac gta aga gac att gcc aac att	gtc cta cgt aat 2685	
caa gat gat acg gtc cta cgt aat	Asn Val Arg Asp Ile Ala Asn Ile Gln Asp Asp Thr	
2685	Val Leu Arg Asn	
Asn Val Arg Asp Ile Ala Asn Ile		
Gln Asp Asp Thr Val Leu Arg		



Asn

	725	725	730
730	735	735	
atg ata ctc att ttt gca gat gta caa	Atg ata ctc att ttt gca gat gta caa	agt gat ttt gcg	
agt gat ttt gcg gga aga gta	gga aga gta	2733	
2733	Met Ile Leu Ile Phe Ala Asp Val Gln Ser Asp Phe		
Met Ile Leu Ile Phe Ala Asp Val	Ala Gly Arg Val		
Gln Ser Asp Phe Ala Gly Arg	740		745
Val	750		
740			
745	750		
ttt gtg gat aac gtt cgt ttt gag gct	Ttt gtg gat aac gtt cgt ttt gag gct tca gct aca gag		
tca gct aca gag ccg gtt gag	ccg gtt gag	2781	
2781	Phe Val Asp Asn Val Arg Phe Glu Ala Ser Ala		
Phe Val Asp Asn Val Arg Phe	Thr Glu Pro Val Glu		
Glu Ala Ser Ala Thr Glu Pro Val	755		760
Glu	765		
755	760	Cca gtt gag cca gtt gac cca gca ccg gtt gag cct	
765		gag ccg gta gat	2829
cca gtt gag cca gtt gac cca gca			
ccg gtt gag cct gag ccg gta gat			
2829			
Pro Val Glu Pro Val Asp Pro Ala	Pro Val Glu Pro Val Asp Pro Ala Pro Val Glu Pro		
Pro Val Glu Pro Glu Pro Val Asp	Glu Pro Val Asp		
770	775	770	775
780	785	780	785
cct ggt gaa gaa act cct cct gta	Cct ggt gaa gaa act cct cct gta gat gag aag gaa		
gat gag aag gaa gcg gcg aaa	gcg gcg aaa gaa	2877	
gaa	2877	Pro Gly Glu Glu Thr Pro Pro Val Asp Glu Lys	
Pro Gly Glu Glu Thr Pro Pro Val	Glu Ala Ala Lys Glu		
Asp Glu Lys Glu Ala Ala Lys Glu			
	790	790	795




795	800	800
gaa aga gaa gct gca aaa gct	Gaa aga gaa gct gca aaa gct gaa aga gaa gca	
gaa aga gaa gca gct aga gaa	gct aga gaa gca gcc	2925
gca gcc	2925	Glu Arg Glu Ala Ala Lys Ala Glu Arg Glu Ala Ala
Glu Arg Glu Ala Ala Lys Ala Glu	Arg Glu Ala Ala	
Arg Glu Ala Ala Arg Glu Ala Ala	805	810
805	815	
810	815	

aaa gag gaa aga gaa gaa gca	Aaa gag gaa aga gaa gaa gca aga gag gct gca	
aga gag gct gca aaa gaa gaa	aaa gaa gaa aga gaa	2973
aga gaa	2973	Lys Glu Glu Arg Glu Glu Ala Arg Glu Ala Ala Lys
Lys Glu Glu Arg Glu Glu Ala Arg	Glu Glu Arg Glu	
Glu Ala Ala Lys Glu Glu Arg Glu	820	825
820	830	
825	830	Gca gca aag gct gaa aga gaa gcg gct aga gaa
gca gca aag gct gaa aga gaa	gca gct aaa gct gaa	3021
gcg gct aga gaa gca gct aaa gct		
gaa	3021	

Ala Ala Lys Ala Glu Arg Glu Ala	Ala Ala Lys Ala Glu Arg Glu Ala Ala Arg Glu Ala	
Ala Arg Glu Ala Ala Lys Ala Glu	Ala Lys Ala Glu	
835	840	835
845	845	
aga gaa gca aag aaa gaa gca	Aga gaa gca aag aaa gaa gca aag aaa aaa taa	
aag aaa aaa taa gagaatcttg	gagaatcttg taagaactca	3074
taagaactca	3074	Arg Glu Ala Lys Lys Glu Ala Lys Lys Lys Stop
Arg Glu Ala Lys Lys Glu Ala Lys		
Lys Lys Stop		

850	855	850	855
860		860	
ttggcttagg ctaatgagtt cttacttttt	Ttggcttagg ctaatgagtt cttacttttt	aatcgagaca	
aatcgagaca	aatgaataat	aatgaataat tatagcgtga	3134
tatagcgtga	3134	Actataaaga aataagatat atttacgata atagtaatgt	
actataaaga	aataagatat	atactaagtt tctgattgga	3194



atttacgata atagtaatgt atactaagtt Actctacgac gaagatgtta gtagttaag aggaggacgt  
 tctgattgga 3194 gtaatgacaa ctgagatact 3254  
 actctacgac gaagatgtta  
 gtagttaag aggaggacgt  
 gtaatgacaa ctgagatact 3254

taatagaaga aagacagatc Taatagaaga aagacagatc aagaaatact gcaagctttg  
 aagaaatact gcaagctttg gtaga gtaga 3299  
 3299

【 0 0 3 5 】

<210> 4  
 <211> 2783  
 <212> DNA

[0035]

<210> 4  
 <211> 2783  
 <212> DNA

<213> Bacillus sp.

<400> 4

ctcactatag ggagaagctt  
 gttatcacca gatgtagctt taacttcgaa  
 gaatccatca 60  
 cctaattcaa ggatagaaac  
 gtcaaacgta ccaccgccaa  
 ggtcataaac aaggatagtt 120

<213> Bacillus sp.

<400> 4

Ctcactatag ggagaagctt gttatcacca gatgtagctt  
 taacttcgaa gaatccatca 60  
 Cctaattcaa ggatagaaac gtcaaacgta ccaccgccaa  
 ggtcataaac aaggatagtt 120

tggtcttctt cttttcaag accgtaagct  
 aaagccgcag ctgttggtc  
 gttaacaata 180  
 cgctcaactt caagaccagc  
 aattttacca gcatctttcg tcgcttggcg  
 ttgtgagtca 240  
 ttaaagtaag ctggaactgt  
 aataactgct ttgttacct ttcacctaa  
 gt atg ctt 298

Met Leu


Tggtcttctt cttttcaag accgtaagct aaagccgcag  
 ctgttggtc gttaacaata 180  
 Cgctcaactt caagaccagc aattttacca gcatctttcg  
 tcgcttggcg ttgtgagtca 240  
 Ttaaagtaag ctggaactgt aataactgct ttgttacct  
 ttcacctaa gt atg ctt 298

Met Leu





ctg cat cag ctt tta att ttt gaa gga	Ctg cat cag ctt tta att ttt gaa gga tga tgc cag aaa
tga tgc cag aaa gtt ctt gca	gtt ctt gca 346
346	Leu His Gln Leu Leu Ile Phe Glu Gly(Trp)Ser
Leu His Gln Leu Leu Ile Phe	Gln Lys Val Leu Ala
Glu Gly(Trp)Ser Gln Lys Val	5 10 15
Leu Ala	Gca gaa gga aac act cgt gaa gac aat ttt aaa cat
5	tta tta ggt aat 394
10	
15	
gca gaa gga aac act cgt gaa	
gac aat ttt aaa cat tta tta ggt aat	
394	
Ala Glu Gly Asn Thr Arg Glu	Ala Glu Gly Asn Thr Arg Glu Asp Asn Phe Lys
Asp Asn Phe Lys His Leu Leu	His Leu Leu Gly Asn
Gly Asn	20 25
20	30
30	Gac aat gtt aaa cgc cct tct gag gct ggc gca tta
gac aat gtt aaa cgc cct tct gag	caa tta caa gaa 442
gct ggc gca tta caa tta caa gaa	Asp Asn Val Lys Arg Pro Ser Glu Ala Gly Ala
442	Leu Gln Leu Gln Glu
Asp Asn Val Lys Arg Pro Ser	
Glu Ala Gly Ala Leu Gln Leu	
Gln Glu	
35	40 35 40
45	50 45 50
gtc gat gga caa atg aca tta gta	Gtc gat gga caa atg aca tta gta gat caa cat gga
gat caa cat gga gaa aaa att caa	gaa aaa att caa 490
490	Val Asp Gly Gln Met Thr Leu Val Asp Gln His
Val Asp Gly Gln Met Thr Leu	Gly Glu Lys Ile Gln
Val Asp Gln His Gly Glu Lys Ile	55 60
Gln	65
55	
60	65
tta cgt gga atg agt aca cac gga	Tta cgt gga atg agt aca cac gga tta cag tgg ttt




tta cag tgg tt cct gag atc ttg	cct gag atc ttg	538
538	Leu Arg Gly Met Ser Thr His Gly Leu Gln Trp	
Leu Arg Gly Met Ser Thr His	Phe Pro Glu Ile Leu	
Gly Leu Gln Trp Phe Pro Glu Ile	70	75
Leu	80	
70	Aat gat aac gca tac aaa gct ctt tct aac gat tgg	
75	80	586
aat gat aac gca tac aaa gct ctt	gat tcc aat atg	
tct aac gat tgg gat tcc aat atg		
586		
Asn Asp Asn Ala Tyr Lys Ala	Asn Asp Asn Ala Tyr Lys Ala Leu Ser Asn Asp	
Leu Ser Asn Asp Trp Asp Ser	Trp Asp Ser Asn Met	
Asn Met	85	90
85	95	
90	95	
att cgt ctt gct atg tat gta ggt gaa	att cgt ctt gct atg tat gta ggt gaa aat ggg cac gct	
aat ggg cac gct aca aac cct	aca aac cct	634
634	Ile Arg Leu Ala Met Tyr Val Gly Glu Asn Gly His	
Ile Arg Leu Ala Met Tyr Val Gly	Ala Thr Asn Pro	
Glu Asn Gly His Ala Thr Asn		
Pro		
100	105	100
110	110	105
gag tta atc aaa caa aga gtg att	Gag tta atc aaa caa aga gtg att gat gga att gag	
gat gga att gag tta gcg att gaa	tta gcg att gaa	682
682	Glu Leu Ile Lys Gln Arg Val Ile Asp Gly Ile Glu	
Glu Leu Ile Lys Gln Arg Val Ile	Leu Ala Ile Glu	
Asp Gly Ile Glu Leu Ala Ile Glu	115	120
115	120	125
125	130	130
aat gac atg tat gtt att gtt gac tgg	Aat gac atg tat gtt att gtt gac tgg cat gtt cat gcg	
cat gtt cat gcg cca ggt gat	cca ggt gat	730
730	Asn Asp Met Tyr Val Ile Val Asp Trp His Val His	



Asn Asp Met Tyr Val Ile Val Asp	Ala Pro Gly Asp	
Trp His Val His Ala Pro Gly Asp	135	140
135	145	
140	145	Cct aga gat cct gtt tat gca ggt gct aaa gat ttc ttt
cct aga gat cct gtt tat gca ggt	aga gaa att	778
gct aaa gat ttc ttt aga gaa att		
778		
Pro Arg Asp Pro Val Tyr Ala Gly	Pro Arg Asp Pro Val Tyr Ala Gly Ala Lys Asp	
Ala Lys Asp Phe Phe Arg Glu	Phe Phe Arg Glu Ile	
Ile	150	155
150	160	
155	160	Gca gct tta tac cct aat aat cca cac att att tat gag
gca gct tta tac cct aat aat cca	tta gcg aat	826
cac att att tat gag tta gcg aat	Ala Ala Leu Tyr Pro Asn Asn Pro His Ile Ile Tyr	
826	Glu Leu Ala Asn	
Ala Ala Leu Tyr Pro Asn Asn		
Pro His Ile Ile Tyr Glu Leu Ala		
Asn		
165	165	170
170	175	
gag ccg agt agt aat aat aat ggt	Gag ccg agt agt aat aat aat ggt gga gca ggg att	
gga gca ggg att ccg aat aac gaa	ccg aat aac gaa	874
874	Glu Pro Ser Ser Asn Asn Asn Gly Gly Ala Gly Ile	
Glu Pro Ser Ser Asn Asn Asn	Pro Asn Asn Glu	
Gly Gly Ala Gly Ile Pro Asn Asn	180	185
Glu	190	
180	185	
190		
gaa ggt tgg aaa gcg gta aaa	Gaa ggt tgg aaa gcg gta aaa gaa tat gct gat cca	
gaa tat gct gat cca att gta caa	att gta caa atg	922
atg	922	
Glu Gly Trp Lys Ala Val Lys Glu	Glu Gly Trp Lys Ala Val Lys Glu Tyr Ala Asp Pro	
Tyr Ala Asp Pro Ile Val Gln Met	Ile Val Gln Met	
195		200





aac gta atg agt aac act cgt tat  
gcg tta gaa aac gga gta gca gta  
1162

Asn Val Met Ser Asn Thr Arg	Asn Val Met Ser Asn Thr Arg Tyr Ala Leu Glu
Tyr Ala Leu Glu Asn Gly Val Ala	Asn Gly Val Ala Val
Val	275 280
275	280 285 290
285	290
ttt gca aca gag tgg gga act agc	Ttt gca aca gag tgg gga act agc caa gca aat gga
caa gca aat gga gat ggt ggt cct	gat ggt ggt cct 1210
1210	Phe Ala Thr Glu Trp Gly Thr Ser Gln Ala Asn
Phe Ala Thr Glu Trp Gly Thr Ser	Gly Asp Gly Gly Pro
Gln Ala Asn Gly Asp Gly Gly	
Pro	

295	295	300
300	305	305
tac ttt gat gaa gca gat gta tgg	Tac ttt gat gaa gca gat gta tgg att gag ttt tta aat	
att gag ttt tta aat gaa aac aac	gaa aac aac 1258	
1258	Tyr Phe Asp Glu Ala Asp Val Trp Ile Glu Phe	
Tyr Phe Asp Glu Ala Asp Val	Leu Asn Glu Asn Asn	
Trp Ile Glu Phe Leu Asn Glu	310 315	
Asn Asn	320	
310		
315	320	

att agc tgg gct aac tgg tct tta	Att agc tgg gct aac tgg tct tta acg aat aaa aat
acg aat aaa aat gaa gta tct ggt	gaa gta tct ggt 1306
1306	Ile Ser Trp Ala Asn Trp Ser Leu Thr Asn Lys Asn
Ile Ser Trp Ala Asn Trp Ser Leu	Glu Val Ser Gly
Thr Asn Lys Asn Glu Val Ser	325 330
Gly	335
325	Gca ttt aca cca ttc gag tta ggt aag tct aac gca
330	aca agt ctt gac 1354
335	
gca ttt aca cca ttc gag tta ggt	




aag tct aac gca aca agt ctt gac  
1354


Ala Phe Thr Pro Phe Glu Leu	Ala Phe Thr Pro Phe Glu Leu Gly Lys Ser Asn	
Gly Lys Ser Asn Ala Thr Ser	Ala Thr Ser Leu Asp	
Leu Asp	340	345
340	345	350
350	Cca ggg cca gac caa gta tgg gta cca gaa gag tta	
cca ggg cca gac caa gta tgg gta	agt ctt tct gga	1402
cca gaa gag tta agt ctt tct gga	Pro Gly Pro Asp Gln Val Trp Val Pro Glu Glu	
1402	Leu Ser Leu Ser Gly	
Pro Gly Pro Asp Gln Val Trp Val		
Pro Glu Glu Leu Ser Leu Ser		
Gly		

355	360	355	360
365	370	365	370
gaa tat gta cgt gct cgt att aaa	Gaa tat gta cgt gct cgt att aaa ggt gtg aac tat		
ggt gtg aac tat gag cca atc gac	gag cca atc gac	1450	
1450	Glu Tyr Val Arg Ala Arg Ile Lys Gly Val Asn Tyr		
Glu Tyr Val Arg Ala Arg Ile Lys	Glu Pro Ile Asp		
Gly Val Asn Tyr Glu Pro Ile Asp	375		380
375	385		
380	385		

cgt aca aaa tac acg aaa gta ctt	Cgt aca aaa tac acg aaa gta ctt tgg gac ttt aat	
tgg gac ttt aat gat gga acg aag	gat gga acg aag	1498
1498	Arg Thr Lys Tyr Thr Lys Val Leu Trp Asp Phe	
Arg Thr Lys Tyr Thr Lys Val Leu	Asn Asp Gly Thr Lys	
Trp Asp Phe Asn Asp Gly Thr	390	395
Lys	400	
390	Caa gga ttt gga gtg aat tcg gat tct cca aat aaa	
395	gaa ctt att gca	1546
caa gga ttt gga gtg aat tcg gat		
tct cca aat aaa gaa ctt att gca		
1546		



Gln Gly Phe Gly Val Asn Ser	Gln Gly Phe Gly Val Asn Ser Asp Ser Pro Asn	
Asp Ser Pro Asn Lys Glu Leu	Lys Glu Leu Ile Ala	
Ile Ala	405	410
405	415	
410	415	Gtt gat aat gaa aac aac act ttg aaa gtt tcg gga
gtt gat aat gaa aac aac act ttg	tta gat gta agt 1594	
aaa gtt tcg gga tta gat gta agt	Val Asp Asn Glu Asn Asn Thr Leu Lys Val Ser	
1594	Gly Leu Asp Val Ser	
Val Asp Asn Glu Asn Asn Thr		
Leu Lys Val Ser Gly Leu Asp		
Val Ser		
420	425	420
430		425
aac gat gtt tca gat ggc aac ttc	Aac gat gtt tca gat ggc aac ttc tgg gct aat gct cgt	
tgg gct aat gct cgt ctt tct gcc	ctt tct gcc 1642	
1642	Asn Asp Val Ser Asp Gly Asn Phe Trp Ala Asn	
Asn Asp Val Ser Asp Gly Asn	Ala Arg Leu Ser Ala	
Phe Trp Ala Asn Ala Arg Leu	435	440
Ser Ala	445	450
435		
445	440	
	450	
aac ggt tgg gga aaa agt gtt gat	Aac ggt tgg gga aaa agt gtt gat att tta ggt gct	
att tta ggt gct gag aag ctt aca	gag aag ctt aca 1690	
1690	Asn Gly Trp Gly Lys Ser Val Asp Ile Leu Gly Ala	
Asn Gly Trp Gly Lys Ser Val	Glu Lys Leu Thr	
Asp Ile Leu Gly Ala Glu Lys Leu	455	460
Thr	465	
	455	
460	465	Atg gat gtt att gtt gat gaa cca acg acg gta gct att
atg gat gtt att gtt gat gaa cca	gcg gcg att 1738	
acg acg gta gct att gcg gcg att		
1738		



Met Asp Val Ile Val Asp Glu Pro	Met Asp Val Ile Val Asp Glu Pro Thr Thr Val Ala
Thr Thr Val Ala Ile Ala Ala Ile	Ile Ala Ala Ile
470	470 475
475 480	480
cca caa agt agt aaa agt gga tgg	Cca caa agt agt aaa agt gga tgg gca aat cca
gca aat cca gag cgt gct gtt cga	gag cgt gct gtt cga 1786
1786	Pro Gln Ser Ser Lys Ser Gly Trp Ala Asn Pro
Pro Gln Ser Ser Lys Ser Gly Trp	Glu Arg Ala Val Arg
Ala Asn Pro Glu Arg Ala Val Arg	
485	485 490
490 495	495
gtg aac gcg gaa gat ttt gtc cag	Gtg aac gcg gaa gat ttt gtc cag caa acg gac ggt
caa acg gac ggt aag tat aaa gct	aag tat aaa gct 1834
1834	Val Asn Ala Glu Asp Phe Val Gln Gln Thr Asp
Val Asn Ala Glu Asp Phe Val	Gly Lys Tyr Lys Ala
Gln Gln Thr Asp Gly Lys Tyr Lys	500 505
Ala	510
500 505	
510	
gga tta aca att aca gga gaa gat	Gga tta aca att aca gga gaa gat gct cca tcg tta
gct cca tcg tta gaa gct att gcg	gaa gct att gcg 1882
1882	Gly Leu Thr Ile Thr Gly Glu Asp Ala Pro Ser Leu
Gly Leu Thr Ile Thr Gly Glu Asp	Glu Ala Ile Ala
Ala Pro Ser Leu Glu Ala Ile Ala	515 520
515 520	525 530
525 530	Atg cac gct gaa aat tac act atc aac aac atc att
atg cac gct gaa aat tac act atc	ctt ttt gta gga 1930
aac aac atc att ctt ttt gta gga	
1930	
Met His Ala Glu Asn Tyr Thr Ile	Met His Ala Glu Asn Tyr Thr Ile Asn Asn Ile Ile
Asn Asn Ile Ile Leu Phe Val Gly	Leu Phe Val Gly
535	535 540
540 545	545





act gaa ggt gct gat gtt atc tat tta Act gaa ggt gct gat gtt atc tat tta gat acc att aaa  
 gat acc att aaa gta att gga gta att gga 1978  
 1978 Thr Glu Gly Ala Asp Val Ile Tyr Leu Asp Thr Ile  
 Thr Glu Gly Ala Asp Val Ile Tyr Lys Val Ile Gly  
 Leu Asp Thr Ile Lys Val Ile Gly

550 550 555  
 555 560 560  
 cca gaa gtt gaa att cca gtt gtt Cca gaa gtt gaa att cca gtt gtt cat gat cca aaa  
 cat gat cca aaa gga gaa gct gtt gga gaa gct gtt 2026  
 2026 Pro Glu Val Glu Ile Pro Val Val His Asp Pro Lys  
 Pro Glu Val Glu Ile Pro Val Val Gly Glu Ala Val  
 His Asp Pro Lys Gly Glu Ala Val 565 570  
 565 575  
 570 575


ctt cct tct gtt ttt gaa gac ggt aca Ctt cct tct gtt ttt gaa gac ggt aca cgt caa ggt tgg  
 cgt caa ggt tgg gac tgg gct gac tgg gct 2074  
 2074 Leu Pro Ser Val Phe Glu Asp Gly Thr Arg Gln  
 Leu Pro Ser Val Phe Glu Asp Gly Trp Asp Trp Ala  
 Gly Thr Arg Gln Gly Trp Asp Trp 580 585  
 Ala 590  
 580 585 Gga gag tct ggt gtg aaa aca gct tta aca att gaa  
 590 gaa gca aac ggt 2122  
 gga gag tct ggt gtg aaa aca gct  
 tta aca att gaa gaa gca aac ggt  
 2122

Gly Glu Ser Gly Val Lys Thr Ala Gly Glu Ser Gly Val Lys Thr Ala Leu Thr Ile Glu  
 Leu Thr Ile Glu Glu Ala Asn Gly Glu Ala Asn Gly  
 595 600 595 600  
 605 610 605 610  
 tct aac gcg tta tca tgg gaa ttt Tct aac gcg tta tca tgg gaa ttt gga tac cca gaa  
 gga tac cca gaa gta aaa cct agt gta aaa cct agt 2170  
 2170 Ser Asn Ala Leu Ser Trp Glu Phe Gly Tyr Pro  
 Ser Asn Ala Leu Ser Trp Glu Glu Val Lys Pro Ser



Phe Gly Tyr Pro Glu Val Lys Pro  
Ser

	615	615	620
620	625	625	
gat aac tgg gca aca gct cca cgt	Gat aac tgg gca aca gct cca cgt tta gat ttc tgg		
tta gat ttc tgg aaa tct gac ttg	aaa tct gac ttg	2218	
2218	Asp Asn Trp Ala Thr Ala Pro Arg Leu Asp Phe		
Asp Asn Trp Ala Thr Ala Pro Arg	Trp Lys Ser Asp Leu		
Leu Asp Phe Trp Lys Ser Asp	630		635
Leu	640		
	630		
635	640		
gtt cgc ggt gaa aat gat tat gta	Gtt cgc ggt gaa aat gat tat gta act ttt gat ttc tat		
act ttt gat ttc tat cta gat cca	cta gat cca	2266	
2266	Val Arg Gly Glu Asn Asp Tyr Val Thr Phe Asp		
Val Arg Gly Glu Asn Asp Tyr Val	Phe Tyr Leu Asp Pro		
Thr Phe Asp Phe Tyr Leu Asp	645		650
Pro	655		
	Gtt cgt gca aca gaa ggc gca atg aat atc aat tta		
	gta ttc cag cca	2314	
	645		
650	655		
gtt cgt gca aca gaa ggc gca atg			
aat atc aat tta gta ttc cag cca			
2314			
Val Arg Ala Thr Glu Gly Ala Met	Val Arg Ala Thr Glu Gly Ala Met Asn Ile Asn Leu		
Asn Ile Asn Leu Val Phe Gln	Val Phe Gln Pro		
Pro	660		665
	660	665	670
670	Cct act aac ggg tat tgg gta caa gca cca aaa acg		
cct act aac ggg tat tgg gta caa	tat acg att aac	2362	
gca cca aaa acg tat acg att aac	Pro Thr Asn Gly Tyr Trp Val Gln Ala Pro Lys Thr		
2362	Tyr Thr Ile Asn		
Pro Thr Asn Gly Tyr Trp Val Gln			
Ala Pro Lys Thr Tyr Thr Ile Asn			



675	680	675	680
685	690	685	690
ttt gat gaa tta gag gaa gcg aat	Ttt gat gaa tta gag gaa gcg aat	caa gta aat ggt	
caa gta aat ggt tta tat cac tat	tta tat cac tat	2410	
2410	Phe Asp Glu Leu Glu Glu Ala Asn Gln Val Asn		
Phe Asp Glu Leu Glu Glu Ala	Gly Leu Tyr His Tyr		
Asn Gln Val Asn Gly Leu Tyr	695	700	
His Tyr	705		
	695		
700	705		
gaa gtg aaa att aac gta aga gat	Gaa gtg aaa att aac gta aga gat	att aca aac att	
att aca aac att caa gat gac acg	caa gat gac acg	2458	
2458	Glu Val Lys Ile Asn Val Arg Asp Ile Thr Asn Ile		
Glu Val Lys Ile Asn Val Arg Asp	Gln Asp Asp Thr		
Ile Thr Asn Ile Gln Asp Asp Thr	710	715	
	720		
715	720	Tta cta cgt aac atg atg atc att ttt gca gat gta gaa	
tta cta cgt aac atg atg atc att ttt	agt gac ttt	2506	
gca gat gta gaa agt gac ttt			
2506			
Leu Leu Arg Asn Met Met Ile Ile	Leu Leu Arg Asn Met Met Ile Ile Phe Ala Asp Val		
Phe Ala Asp Val Glu Ser Asp	Glu Ser Asp Phe		
Phe	725	730	
	735		
730	735	Gca ggg aga gtc ttt gta gat aat gtt cgt ttt gag ggg	
gca ggg aga gtc ttt gta gat aat	gct gct act	2554	
ggt cgt ttt gag ggg gct gct act	Ala Gly Arg Val Phe Val Asp Asn Val Arg Phe		
2554	Glu Gly Ala Ala Thr		
Ala Gly Arg Val Phe Val Asp			
Asn Val Arg Phe Glu Gly Ala Ala			
Thr			
740	745	740	745




750		750	
act gag ccg gtt gaa cca gag cca		Act gag ccg gtt gaa cca gag cca gtt gat cct ggc	
gtt gat cct ggc gaa gag acg ccg		gaa gag acg ccg	2602
2602		Thr Glu Pro Val Glu Pro Glu Pro Val Asp Pro Gly	
Thr Glu Pro Val Glu Pro Glu Pro		Glu Glu Thr Pro	
Val Asp Pro Gly Glu Glu Thr Pro		755	760
755	760	765	770
765	770		

cct gtc gat gag aag gaa gcg aaa		Cct gtc gat gag aag gaa gcg aaa aaa gaa caa	
aaa gaa caa aaa gaa gca gag		aaa gaa gca gag aaa	2650
aaa	2650	Pro Val Asp Glu Lys Glu Ala Lys Lys Glu Gln Lys	
Pro Val Asp Glu Lys Glu Ala Lys		Glu Ala Glu Lys	
Lys Glu Gln Lys Glu Ala Glu Lys		775	780
	775	785	
780	785	Gaa gag aaa gaa gca gta aaa gaa gaa aag aaa	
gaa gag aaa gaa gca gta aaa		gaa gct aaa gaa gaa	2698
gaa gaa aag aaa gaa gct aaa			
gaa gaa	2698		

Glu Glu Lys Glu Ala Val Lys Glu		Glu Glu Lys Glu Ala Val Lys Glu Glu Lys Lys Glu	
Glu Lys Lys Glu Ala Lys Glu Glu		Ala Lys Glu Glu	
	790	790	795
795	800	800	
aag aaa gca atc aaa aat gag		Aag aaa gca atc aaa aat gag gct acg aaa aaa	
gct acg aaa aaa taatctatta		taatctatta aactagttat	2751
aactagttat	2751	Lys Lys Ala Ile Lys Asn Glu Ala Thr Lys Lys	
Lys Lys Ala Ile Lys Asn Glu Ala			
Thr Lys Lys			

	805		805		810	
810		Agggttatct	aaaggctgat	gcagatctta	cg	
agggttatct	aaaggctgat	2783				
gcagatctta	cg					
2783						

**【 0 0 3 6 】**

&lt;210&gt; 5

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

&lt;400&gt; 5

**[0036]**

&lt;210&gt; 5

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

&lt;400&gt; 5

attagtcgac tcgaaggaaa cactcgtg 28  
28**【 0 0 3 7 】**

&lt;210&gt; 6

&lt;211&gt; 25

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

&lt;400&gt; 6

**[0037]**

&lt;210&gt; 6

&lt;211&gt; 25

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

&lt;400&gt; 6

gcacgtacat attatccaga aagac 25  
25**【 0 0 3 8 】**

&lt;210&gt; 7

&lt;211&gt; 23

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on N131a cellulase

&lt;400&gt; 7

**[0038]**

&lt;210&gt; 7


&lt;211&gt; 23

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

<220><223> designed DNA based on N131a  
cellulase

&lt;400&gt; 7



gatctcagga aaccactgta atc 23 Gatctcagga aaccactgta atc 23

**【 0 0 3 9 】**

<210> 8

<211> 25

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA

based on N131a cellulase

<400> 8

**[0039]**

<210> 8

<211> 25

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA based on N131a

cellulase

<400> 8

acaacattag ctgggctaac tggtc Acaacattag ctgggctaac tggtc 25  
25

**【 0 0 4 0 】**

<210> 9

<211> 22

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA

based on N131a cellulase

<400> 9

**[0040]**

<210> 9

<211> 22

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA based on N131a

cellulase

<400> 9

agataaactc agacctgtt gg 22 Agataaactc agacctgtt gg 22

**【 0 0 4 1 】**

<210> 10

<211> 25

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA

based on N131a cellulase

<400> 10

**[0041]**

<210> 10

<211> 25


<212> DNA

<213> Artificial Sequence

<220><223> designed DNA based on N131a

cellulase

<400> 10



taaactacta acatcttcgt cgtag 25 Taaactacta acatcttcgt cgtag 25

**【 0 0 4 2 】**

<210> 11

<211> 21

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

<400> 11

**[0042]**

<210> 11

<211> 21

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

<400> 11

gaaggaaaca ctcgtgaaga c 21 Gaaggaaaca ctcgtgaaga c 21

**【 0 0 4 3 】**

<210> 12

<211> 20

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

<400> 12

**[0043]**

<210> 12

<211> 20

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

<400> 12

agtccggacg ctgactccag 20 Agtccggacg ctgactccag 20

**【 0 0 4 4 】**

<210> 13

<211> 27

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

<400> 13

**[0044]**

<210> 13


<211> 27

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

<400> 13



aatgctcgtc ttctgccaac cggttgg Aatgctcgtc ttctgccaac cggttgg 27  
27

**【 0 0 4 5 】**

<210> 14

<211> 24

<212> DNA

**[0045]**

<210> 14

<211> 24

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

<400> 14

<213> Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

<400> 14

aacagaatga tgtgttcat attg 24 Aacagaatga tgtgttcat attg 24

**【 0 0 4 6 】**

<210> 15

<211> 21

<212> DNA

**[0046]**

<210> 15

<211> 21

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

<400> 15

<213> Artificial Sequence

<220><223> designed DNA based on S237  
cellulase

<400> 15

ggtttatc actatgaagt g 21 Ggtttatc actatgaagt g 21

**【 0 0 4 7 】**

<210> 16

<211> 23

<212> DNA

**[0047]**

<210> 16

<211> 23

<212> DNA

<213> Artificial Sequence

<220><223> designed DNA  
based on S237 cellulase

<213> Artificial Sequence

<220><223> designed DNA based on S237  
cellulase





&lt;400&gt; 16

&lt;400&gt; 16

aaattacttc atcattctat cac 23

Aaattacttc atcattctat cac 23

【 0 0 4 8 】

**[0048]**

&lt;210&gt; 17

&lt;210&gt; 17

&lt;211&gt; 20

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on S131b cellulase<220><223> designed DNA based on S131b  
cellulase

&lt;400&gt; 17

&lt;400&gt; 17

atccgtgtgt actcattcca 20

Atccgtgtgt actcattcca 20

【 0 0 4 9 】

**[0049]**

&lt;210&gt; 18

&lt;210&gt; 18

&lt;211&gt; 20

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on S131b cellulase<220><223> designed DNA based on S131b  
cellulase

&lt;400&gt; 18

&lt;400&gt; 18

tctcgataat aatccctagc gccg 20

Tctcgataat aatccctagc gccg 20

【 0 0 5 0 】

**[0050]**

&lt;210&gt; 19

&lt;210&gt; 19

&lt;211&gt; 40

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on S131b cellulase and<220><223> designed DNA based on S131b  
cellulase and KSM-64 cellulase



KSM-64 cellulase <400> 19  
<400> 19

agcacaagcc gaaggaaaca Agcacaagcc gaaggaaaca ctcgtgaaga caattttaa  
ctcgtgaaga caattttaa 40 40

**【 0 0 5 1 】** **[0051]**  
<210> 20 <210> 20  
<211> 26 <211> 26  
<212> DNA <212> DNA

<213> Artificial Sequence <213> Artificial Sequence  
<220><223> designed DNA <220><223> designed DNA based on S131b  
based on S131b cellulase cellulase  
<400> 20 <400> 20

aagatctgca tcagccttta gataac Aagatctgca tcagccttta gataac 26  
26

**【 0 0 5 2 】** **[0052]**  
<210> 21 <210> 21  
<211> 33 <211> 33  
<212> DNA <212> DNA

<213> Artificial Sequence <213> Artificial Sequence  
<220><223> designed DNA <220><223> designed DNA based on KSM-64  
based on KSM-64 cellulase cellulase  
<400> 21 <400> 21

ttccagatct acttaccat t ttagagtcaa Ttccagatct acttaccat t ttagagtcaa aag 33  
aag 33

**【 0 0 5 3 】** **[0053]**  
<210> 22 <210> 22  
<211> 25 <211> 25  
<212> DNA <212> DNA



&lt;213&gt; Artificial Sequence

&lt;213&gt; Artificial Sequence

<220><223> designed DNA  
based on S131b cellulase and  
KSM-64 cellulase

<220><223> designed DNA based on S131b  
cellulase and KSM-64 cellulase

&lt;400&gt; 22

&lt;400&gt; 22

ggcttgctt ggtcgacca actgc Ggcttgctt ggtcgacca actgc 25  
25

## 【図面の簡単な説明】

## [BRIEF DESCRIPTION OF THE DRAWINGS]

## 【図 1】

本発明のアルカリセルラーゼ  
(N 1 3 1 a) 活性に及ぼす p  
Hの影響を示す図である。

## [FIG. 1]

It is the figure showing the influence of pH  
which affects the alkali cellulase (N131a)  
activity of this invention.

## 【図 2】


本発明のアルカリセルラーゼ  
(N 1 3 1 b) 活性に及ぼす p  
Hの影響を示す図である。

## [FIG. 2]

It is the figure showing the influence of pH  
which affects the alkali cellulase (N131b)  
activity of this invention.

## 【図 1】

## [FIG. 1]




相对活性: Relative activity




【図 2】

[FIG. 2]



相対活性: Relative activity



## THOMSON SCIENTIFIC TERMS AND CONDITIONS

*Thomson Scientific Ltd shall not in any circumstances be liable or responsible for the completeness or accuracy of any Thomson Scientific translation and will not be liable for any direct, indirect, consequential or economic loss or loss of profit resulting directly or indirectly from the use of any translation by any customer.*

Thomson Scientific Ltd. is part of The Thomson Corporation

Please visit our website:

["www.THOMSONDERWENT.COM"](http://www.THOMSONDERWENT.COM) (English)

["www.thomsonscientific.jp"](http://www.thomsonscientific.jp) (Japanese)